

# FLORIDA AGRICULTURAL STATISTICS

## *Vegetable Summary*

Florida Department of Agriculture  
and Consumer Services  
Bob Crawford, Commissioner  
Tallahassee, Florida

Florida Agricultural  
Statistics Service

Jeffrey K. Geuder, Acting State Statistician  
Orlando, Florida

Division of Marketing  
and Development

Nelson L. Pugh, Director  
Tallahassee, Florida

### Cooperating with

U.S. Department of Agriculture  
Agricultural Marketing Service  
and  
National Agricultural Statistics Service

University of Florida  
Institute of Food & Agricultural Sciences  
Agricultural Experiment Stations  
Department of Food & Resource Economics

### ACKNOWLEDGMENTS


The acreage, production, and value statistics in this bulletin are official State and USDA estimates prepared by the Florida Agricultural Statistics Service. Extended commodity coverage and county and area detail were made possible through the participation of the Department of Food and Resource Economics, University of Florida, in the estimating program. The Bureau of State Farmers' Markets, Florida Department of Agriculture, and the County Extension Agents of the Cooperative Extension Service were also very helpful in supplying area and county information. Shipment statistics were provided by the Market News Section of the Florida Department of Agriculture and the USDA Agricultural Marketing Service.

Growers, shippers, and processors volunteered most of the basic data used in developing these statistics. The public spirited cooperation of these individuals and groups is appreciated. Grower organizations have provided valuable assistance and data throughout the season. These groups include Florida Tomato Committee, Florida Sweet Corn Exchange, and the Zellwood Sweet Corn Exchange. Sales agencies and transportation firms provided additional data.

Field personnel A.J. Wilson, Parrish; E.J. Hutchins, Deerfield Beach; Charles Robertson, Homestead; Carl Ouzts, Orlando; and Robert McClelland of Immokalee collected much of the basic acreage and production data in this bulletin. This report was assembled by Wade Adams, Shirley Zonner, and Bernie Albrecht of the Florida Agricultural Statistics Service, and H.B. Buchanan, Market News Section. The authors also wish to thank Marcelo Diaz, Kitty Hildreth, Pat Quittance, Iris Solis, and others of the Florida Agricultural Statistics Service who assisted in compiling and preparing this report.

For more information call: (407) 648-6020

Published May 1996



# PRINCIPAL VEGETABLES BY PRODUCING AREAS

## EST

Holmes-Jackson-Washington counties - Butter beans, field peas, watermelons.

Gadsden County - Pole beans, squash, sweet corn, tomatoes.

## JRTH

Suwannee Valley - Beans, corn, greens, peas, potatoes, squash, watermelons.

Starka-Brocker-Lake Butler - Lima beans, snap beans, blueberries, cucumbers, green peppers, squash, strawberries.

Hastings - Cabbage, potatoes.

Gainesville-Alachua - Blueberries, bush beans, cucumbers, peppers, potatoes, squash.

Island Grove-Hawthorne - Blueberries, cucumbers, peppers, sweet corn, squash, watermelons.

## JRTH CENTRAL

Oxford-Pedro - Tomatoes, watermelons.

Sanford-Oviedo-Zellwood - Cabbage, carrots, celery, sweet corn, cucumbers, escarole, greens, lettuce, peppers, radishes, spinach.

Webster - Cucumbers, eggplant, peppers.

## EST CENTRAL

Plant City-Balm - Blueberries, bush and pole beans, lima beans, cabbage, cucumbers, eggplant, field peas, greens, squash, strawberries, watermelons.

Palmetto-Ruskin - Cabbage, cauliflower, potatoes, strawberries, tomatoes, watermelons.

Sarasota - Cabbage, celery, sweet corn, escarole, lettuce, radishes.

Wauchula - Blueberries, cucumbers, eggplant, peppers, tomatoes, watermelons.

## AST CENTRAL

Ft. Pierce - Tomatoes, watermelons.

## OUTHWEST

Ft. Myers-Immokalee - Sweet corn, cucumbers, eggplant, peppers, potatoes, squash, tomatoes, watermelons.

## VERGLADES

Bush beans, cabbage, celery, Chinese cabbage, sweet corn, escarole, greens, lettuce, potatoes, radishes.

## OUTHEAST

Martin County - Cabbage, potatoes, tomatoes, watermelons.

Pompano - Bush beans, lima beans, sweet corn, cucumbers, eggplant, peppers, squash, tomatoes.

Homestead - Bush and pole beans, cabbage, sweet corn, cucumbers, potatoes, squash, strawberries, tomatoes.

 Commercial Vegetable

 Watermelons

Usual dates for planting and harvesting vegetables,  
melons, potatoes, and strawberries

Crop	Planting Dates <sup>1/</sup>	Usual Harvest Dates		
		Begins	Most active	Ends
Snap Beans <sup>2/</sup>	Aug 15 - Apr 1	Oct 15	Nov 1 - May 1	June 15
Blueberries		Apr 15	May 1 - May 25	June 10
Cabbage	Sep 1 - Mar 15	Oct 25	Jan 1 - Apr 15	Jun 15
Carrots	Aug 15 - Feb 15	Nov 1	Dec 15 - May 25	June 10
Cantaloupes	Jan 15 - Mar 15	Mar 10	May 15 - Jun 20	Jul 10
Cauliflower	Sep 15 - Jan 1	Dec 15	Jan 1 - Mar 15	Apr 15
Celery	Aug 1 - Apr 15	Oct 25	Dec 15 - Jun 1	Jul 10
Chinese Cabbage	Sep 1 - Apr 1	Oct 20	Nov 15 - May 15	Jun 1
Sweet corn	Jul 25 - May 10	Sep 25	Nov 15 - Jun 15	Jun 15
Cucumbers	Aug 1 - Apr 1	Sep 20	Nov 1 - Dec 15 Apr 20 - Jun 1	Jul 1
Eggplant	Jul 15 - Apr 1	Oct 1	Nov 15 - Jul 1	Aug 1
Escarole and Endive	Aug 25 - Apr 1	Oct 20	Nov 15 - May 25	Jun 1
Lettuce and Romaine	Aug 25 - Apr 1	Oct 20	Dec 1 - May 1	Jun 1
Parsley	Aug 25 - Apr 1	Oct 20	Nov 15 - May 25	Jun 1
Green Peppers	Aug 1 - Mar 15	Oct 20	Nov 15 - Jun 15	Jul 1
Potatoes	Sep 15 - Mar 1	Dec 26	Feb 1 - Jun 1	Jul 1
Radishes	Sep 1 - May 15	Sep 20	Nov 15 - May 1	Jun 15
Spinach (Proc.)	Nov 1 - Jan 1	Jan 15	Feb 1 - Mar 1	Mar 15
Squash <sup>3/</sup>	Aug 15 - Apr 1	Sep 1	Nov 15 - May 15	Jul 1
Strawberries	Oct 1 - Nov 15	Dec 15	Feb 1 - Apr 1	May 15
Tomatoes	Jul 25 - Mar 15	Oct 15	Nov 15 - Jun 1	Jul 1
Watermelons	Dec 15 - Apr 1	Apr 1	May 1 - Jul 1	Jul 15

<sup>1/</sup> Usual date direct seeded or transplanted. <sup>2/</sup> Includes Pole Beans. <sup>3/</sup> A small acreage of summer squash is marketed locally during July and August.

# CONTENTS

ITEM	PAGE
Definitions and Explanations .....	1
Narrative Summary of 1994-95 Crop Year .....	2
Narrative Summaries of Individual Crops, 1994-95 Crop Year .....	3-11
Summary of Acreage, Production, and Value by Crops, 1993-94 and 1994-95 Crop Years .....	12
Summary of Harvested Acreage and Value, 1980-81 through 1994-95 .....	13
Confidentiality of Collected Data and Release Distribution Policy .....	67
State Farmers Markets .....	68

Individual Crop Data	Narrative Summary	Acreage, Production and Value	Shipments	Unloads
Snap Beans	3	14	49	60
Blueberries	3	--	--	--
Cabbage	4	16	50	60
Cantaloupes	11	--	--	60
Carrots	4	18	50	60
Cauliflower	11	--	51	61
Celery	--	--	51	61
Chinese Cabbage	11	--	51	61
Sweet Corn	4	20	52	61
Cucumbers	5	23	52	62
Eggplant	6	26	53	62
Escarole-Endive	6	28	53	62
Greens	11	--	53	62
Lettuce	--	--	54	63
Okra	11	--	54	63
Dry Onions	11	--	55	--
Parsley	11	--	55	--
Peas	11	--	57	66
Bell Peppers	6	30	55	64
Potatoes	7	33	56	64
Radishes	8	36	56	65
Squash	8	37	57	65
Strawberries	8	40	57	65
Tomatoes	8	42	58	66
Cherry Tomatoes	--	--	58	66
Watermelons	10	47	59	66
Other Vegetables	--	--	59	--
Summary of Shipments by Crops, by Months, 1994-95	--	--	49	--

## DEFINITIONS AND EXPLANATIONS

**SEASONAL GROUPS**—State level estimates for most crops are estimated on a six month seasonal basis. These statistics are published in January. The periods are for the crop year July through December and January through June. The two six month periods were combined in this publication into a crop year total for all crops. Production sold or utilized is shown by months.

**PLANTED ACREAGE** is the total acreage which has been planted for harvest during the crop year. Acreage lost and replanted to the same crop in time for harvest in the same quarter is counted only once. Acreage harvested and planted again to the same crop is counted twice.

**HARVESTED ACREAGE** is the acreage partially or completely harvested. Acreage lost before or at maturity through natural or economic causes is not included in the acreage for harvest.

**YIELD** is the average production per harvested acre of merchantable quality harvested and sold or utilized.

**PRODUCTION** is the quantity actually harvested and sold or utilized.

**UNIT VALUE** for fresh market sales is the equivalent price received, f.o.b. shipping point basis and encompasses all grades and sizes marketed or utilized. Included are packing charges, selling charges, precooling, top ice, or other costs which contribute to the value of the product at shipping point. The value per unit for quantities sold to processors is the average value paid for usable quantities, on a "delivered to plant door" basis. This value includes transportation and other normal costs incident to delivery at plant door.

**TOTAL VALUE** is the equivalent value of production sold or utilized based on the unit value. Cullage and

other quantities not sold or utilized because of natural or economic factors are excluded.

**OTHER COUNTIES** include harvested acreage for all counties for which either published data would result in the disclosure of individual operations or acreage totals for specific commodities are of minor importance in the State.

All shipments and unloads, rail, truck, air, and boat, are recorded nationally in 10,000 pound units each day. Annual releases are in 1,000 cwt. In this publication, shipments and unloads for some commodities were converted to most common trading units. Rail and piggy-back weights and conversion factors were determined by several Market News Service field offices. Mixed car (rail) loadings by stations have been prorated by commodities.

Where possible, the national Market News Service in Washington, D. C. has established a single uniform weight per commodity to be used nationally in converting to weight units for the various means of transportation. Weights per common container used and number of units per rail car or truck may be obtained by writing Federal-State Market News, 775 Warner Lane, Orlando, Florida 32803.

**PRODUCTION AND PRICE UNIT**—The official USDA vegetable crop estimates are published on a weight basis. For this bulletin, the official estimates for most vegetable crops have been converted to what is believed to be the most commonly used containers. If changes in container weights are necessary, all data pertaining to the production of the commodity in question are revised to maintain comparability between years. The table below gives the net weight used per container and the number of containers per hundredweight for Florida produce.

Most common unit, estimated net weight, and units per hundredweight, Florida produce, 1994-95 crop season

Commodity	Unit	Est. net weight	No. of units per cwt	Commodity	Unit	Est. Net weight	No of units per cwt
Pounds				Pounds			
Snap Beans	Bushel	30	3.333	Lettuce, Romaine	Carton	40	2.500
Blueberries	Flat	11	9.090	Lettuce, Leaf	Carton	25	4.000
Cabbage	Crate	50	2.000	Okra	Bushel	30	3.333
Carrots	Sack	48	2.083	Parsley	Crate	21	4.762
Cauliflower	Carton	25	4.000	Green Pepper	Bushel	28	3.571
Celery	Crate	60	1.667	Potatoes	Sack	100	--
Chinese Cabbage	Crate	50	2.000	Radishes	Carton	15	6.667
Sweet Corn	Crate	42	2.381	Squash	Bushel	42	2.381
Cucumbers	Bushel 1 1/9	55	1.818	Strawberries	Flat	12	8.333
Eggplant	Bushel	33	3.030	Tomatoes	Carton	25	4.000
Escarole	Crate	25	4.000	Watermelons	Cwt	100	--
Lettuce, Iceberg	Carton	50	2.000				

## SUMMARY OF THE 1994-95 SEASON

The value of vegetables, watermelons, potatoes, and berries produced in Florida during the 1994-95 season totaled \$1.48 billion, down five percent or \$80.9 million from the 1993-94 value of \$1.56 billion. All values of production declined except for carrots, endive/escarole, watermelons, and strawberries. Tropical Storm Gordon passing over the State around mid-November, and freezes during February lowered acreage harvested, yield and production for most crops estimated. The total 1994-95 acreage harvested of 356,800 acres, dropped four and a half percent or 16,729 acres from the previous season acreage of 373,529 acres. Only the area harvested for snap beans, cucumbers, and strawberries showed increases from the 1993-94 season.

Production declined for all of the fifteen major crops with 1994-95 published estimates, except cucumbers. Cabbage production, at 191.5 million pounds for the 1994-95 crop, fell 35 percent or 102.6 million pounds below the 294.1 million pounds produced in 1993-94. Bell pepper production declined 223.0 million pounds from 663.6 million pounds picked in 1993-94, to 440.6 million pounds harvested during 1994-95. Squash production at 132.0 million pounds in 1994-95 declined 59.1 million pounds or 31 percent from the 191.1 million pounds picked during 1993-94. The average yield per harvested acre was higher than the previous season for carrots, sweet corn, endive/escarole, tomatoes, and watermelons. The remaining ten commercial crops with published estimates showed lower yield averages than realized during 1993-94.

Lower supplies led to higher prices during 1994-95 with only snap beans, cabbage, cucumbers, eggplant, and potatoes showing price declines from the previous season. The average price of endive/escarole more than doubled from the \$20.80 per one hundred pounds (cwt) averaged during the 1993-94 season, to the \$44.40 per cwt averaged during 1994-95. The carrot price averaged \$21.10 per cwt for the 1994-95 season, up \$8.40 per cwt or 66 percent from the 1993-94 price of \$12.70 per cwt. Squash prices averaged \$31.60 per cwt in 1994-95, up \$9.00 or 39 percent from the previous season's price of \$22.60 per cwt. Bell pepper prices at \$42.90 per cwt for the 1994-95 crop showed an increase of \$9.80 per cwt or 30 percent over the 1993-94 average price of \$33.10 per cwt.

Acreage planted to vegetables, watermelons, potatoes, and strawberries during the 1994-95 season totaled 379,150 acres, down two percent from the 388,539 acres planted during the 1993-94 season. Producers showed increased 1994-95 plantings for snap beans, cucumbers, and strawberries.

## WEATHER HIGHLIGHTS

Cool, rainy conditions delayed field preparation and fall crop planting in both northern and southern regions during late July and most of August. Tropical Storm Beryl formed in the northeast section of the Gulf of Mexico in mid-August. This storm dropped from one to six inches of rain over some West Central localities and around the Quincy area. Northern, East Coast, and West Central growers began fall crop planting in late July. Southwestern producers started fall crop planting in early August. Zellwood growers began planting during late August. Everglades producers began planting during the last half of August. Scattered showers with locally heavy amounts of rain falling disrupted planting progress in many areas during most of September and October. Northern and East Coast producers started fall crop harvesting during late September. Picking of fall crops gained momentum in the Zellwood and West Central regions during early October, and started during the last half of the month in the Southwest and Dade County. Warmer, drier weather during most of November increased planting and harvesting. Most northern growers finished harvesting by mid-November. Strong winds from Tropical Storm Gordon tossed vines, blew some blooms off plants, and scarred fruit in all southern and most Central areas about mid-November. Heavy rains generated by the storm flooded fields in the southeastern region and Dade County with significant acreage losses reported. Balmy temperatures and mostly clear skies during late November and early December aided the recovery of most plants from the storm damage. Strong winds from early December storms lowered yield prospects of some East Coast fields. Temperatures near freezing arrived in northern areas about mid-December. Strong winds and heavy rain from late December storms slowed fieldwork and damaged some crops in southern areas, especially around Lake Okeechobee. Drier conditions and above average temperatures during most of January boosted crop development and accelerated harvesting. Temperatures dipped into the 30s in some central localities in early January, but caused no significant crop damage. Planting, which was delayed by Tropical Storm Gordon, caused some supply gaps in Dade County and some southeastern localities during January. In early January, Dade County and southeastern growers began picking acreage planted after the mid-November storm. Cold temperatures during late January slowed most fruit development and caused some leaves to burn on plants in unprotected fields. Freezing temperatures and strong winds during the second week of February se-

verely damaged spring crop plantings in the West Central and Southwest regions with growers replanting most of the affected acreage during late February. Most East Coast fields were protected by windbreaks or freeze covers. Strawberry growers around Plant City picked most marketable strawberries before the early February strong winds and cold temperatures arrived and ran overhead sprinklers to form ice caps on plants to protect plants from freezing temperatures. Warm temperatures over central and southern areas during late February and most of March aided the recovery of crops from the adverse weather. About mid-March, freezing temperatures followed by some rain storms damaged early tomato plantings and delayed some planting around Quincy. Sunny, clearer weather during late March and early April accelerated the harvest of spring crops over the southern Peninsula and planting in northern areas. Growers along the southeastern coast finished most spring crop transplanting in early April. Planting was almost completed in most northern areas before mid-April. Some labor shortages became a problem in a few southeastern localities as workers moved north about mid-month. Dry weather after mid-April depleted soil moisture supplies over most of the southern Peninsula and in most northern production areas. Some producers curtailed harvest and abandoned some acreage due to low markets that developed during late April and early May. Scattered rains during the last week of April and into early May boosted the growth of southern Peninsula crops but delayed some harvesting. Dry conditions continued over the northern region during early May. Harvest reached peak levels throughout May to meet the Memorial Day demand although some growers delayed picking due to the low market. Southern and central area producers began to open fields to U-Pic after mid-May. Hot temperatures, almost daily showers, and low markets brought most harvesting to an end in Dade County and around Immokalee in late May. Clear, hot weather during late May over northern localities allowed harvest to advance rapidly. Rainfall from Hurricane Allison, which developed in early June, caused most southern Peninsula growers to complete harvest and interrupted most northern picking. The rain from the storm was beneficial by replenishing topsoil moisture supplies that had become quite short in some northern counties. Hot temperatures and dry soils reduced sweet corn yield prospects around Zellwood in early-to-mid June. Near mid-June, overcast skies kept temperatures cool. A tropical disturbance brought heavy rains to the southern Peninsula and some northern localities during late June. These rains interrupted sweet corn picking in central areas and watermelon harvesting in some northern localities. The Quincy region escaped the heavy rainfall with tomato picking progressing normally.

## SNAP BEANS

Growers produced 4.2 million bushels of snap beans for fresh market during the 1994-95 season, down five percent from the 4.4 million bushels produced last season. Harvested acreage at 30,500 acres for the 1994-95 season was an increase of 5,000 acres over last season. The 1994-95 yield of 139 bushels per acre was 35 bushels less than a year earlier. The f.o.b. price of \$11.97 per bushel was 66 cents below the 1993-94 price of \$12.63 and \$2.88 below the 1992-93 record price of \$14.85. The value of the 1994-95 crop at \$50.6 million dropped 10 percent below the previous season's value of \$56.0 million.

Bush beans are grown in most areas of the State. The southeastern area, mainly Dade and Palm Beach counties, continued as the major production area. Pole beans are grown primarily in Dade County with a small amount grown in some northern counties.

Central and northern area producers began planting their fall crop during late summer. Dade County and Southwest started planting in early September. East Coast started planting in mid-September. Northern crop harvest started in late September. Harvesting in the southern areas started in late October. The late season tropical storm, Gordon, damaged the southern fall and winter bean crop. The storm dropped from 1 to more than 7 inches of rain in central and southern Peninsula during the week ending November 20. Some fields were flooded and others washed out. Bloom loss and scarring were also problems in many areas. The surviving crop slowly recovered from the damage. The northern part of the State got very little rain from this storm. The northern harvest ended in late November. West Central bean harvest ended in late December. Cold winds on the morning of January 25 burned the top leaves of unprotected fields in south Florida. Plant growth was slowed by the cold weather. In early February cold winds caused some light leaf burn and blowing sand damage. The southern area spring crop planting was completed by early March. Planting of the spring crop in the West Central areas started in very late February and was completed by mid-March with harvest active during April and May. The northern spring bean crop planting started in March with harvest being active from mid-April through early June. Commercial bean harvest was completed in all areas by mid-June.

## BLUEBERRIES

The acreage of blueberries harvested in 1994-95 was 1,300 acres, the same as last year. Production was an estimated 2,500,000 pounds, with an average yield

per acre of 1,920 pounds. The value per pound was \$2.02 and the total value of the crop was \$5,050,000. Harvesting of blueberries occurs between mid-April and early June. The majority of the acreage is in northern counties of the Peninsula with significant production also in Hardee, Hillsborough, and Manatee counties, as well as in the Panhandle. Both fresh use and processing blueberries are produced.

## CABBAGE

Cabbage growers in Florida produced 3.8 million crates and bags of cabbage during the 1994-95 season, down 35 percent from the previous season. The gross value of sales was \$17.4 million, down 44 percent from a year earlier. The season average price was \$4.54, down 76 cents from the 1993-94 season. Planted acreage totaled 7,400 acres, down 2,500 acres from a year earlier and continuing a trend that started in the mid 80s. Harvested acreage amounted to 7,000 acres, down 2,300 acres from the previous year and the lowest since the 1934-35 season. The average yield of 547 crates per acre was down 85 crates from the previous year. The east and west central areas lead the State's production, accounting for 42 percent of the State during the 1994-95 season. Manatee County, for the seventh consecutive year, was the leading cabbage producing county with 2,800 acres.

Planting was underway by mid-September in the central area and by late September in the Hastings area. Planting in the west central area started in early October. Dade County planting started in early November. Winds from the late season Tropical Storm Gordon buffeted very young plants and flooded some fields in the Hastings area. The fields lost to Gordon were replanted. Harvesting of the crop started in December with good volume starting in January. There was no significant damage from the cold temperatures on January 25. Harvest was complete in Dade County by early May and in the northern areas by mid-June.

## CARROTS

Growers produced 72,800,000 pounds of carrots during the 1994-95 season, down 18 percent from the previous season's 88,600,000 pounds. Harvested area totaled 5,600 acres, down 2,100 acres from the 1994-95 season. Virtually all carrots were grown in the central area during the 1994-95 season. The value of carrots sold was \$15.4 million up 37 percent from the \$11.3 million producers received for the previous season's crop. The average farm gate price was \$2.11 per pound, up 84

cents from the \$1.27 per pound averaged in 1993-94. Most monthly prices averaged between \$2.01 and \$2.52 per pound, except for the \$1.69 growers received in February. This compared with the 1993-94 monthly price range of \$1.08 to \$1.54. Almost half of the 1994-95 crop was sold in February and March 1995.

Planting became very active in September. Wet weather during the last half of September, and heavy rainfall caused by Tropical Storm Gordon in late November prevented germination of some seedlings around Lake Apopka with most acreage replanted. Digging started about mid-December. Cold temperatures and strong winds in early to mid-February lightly singed the tops of plants near Zellwood with little losses occurring. By early March and through early April, yield averaged 60 to 70 percent below normal in some fields because of the excessive fall rains. Growers juiced some culls to make up for yield losses. Yield improved during April and May with digging completed by late June.

## SWEET CORN

Value of the 1994-95 sweet corn crop totaled \$105,311,000, four percent below the record high of \$109,258,000 for the 1993-94 crop. Production at 11,511,000 42-pound crates fell 12 percent below the previous season's 13,091,000 crates. Florida continues as the Nation's leader in the production of fresh market sweet corn. The value per crate averaged a record high \$9.15, 80 cents above the 1993-94 average of \$8.35 per crate, and 50 cents above the previous record high of \$8.65 attained during the 1992-93 season. Growers received record high prices during December, February, and May. Prices during 1994-95 ranged from the February high of \$18.77 per crate to the July low of \$6.01. Growers planted 39,600 acres during 1994-95 and harvested 36,900. This is the lowest planted acreage since the 1952-53 season when producers planted 34,900 acres, and the lowest harvested acreage since 1960-61 when 33,900 acres were picked.

North Florida growers started planting fall acreage in early August and Zellwood producers began planting after mid-August. Growers around Lake Okeechobee were planting by early October. Abundant rain during September in central and southern localities reduced ear sizes in some fields and delayed fieldwork. Growers around Zellwood and in northern areas started picking by late September. Drier weather during early October along the southeastern coast allowed planting to gain speed. Producers in the Everglades region started picking by early November. Northern producers harvested virtually all acreage by mid-November. Heavy rain generated by Tropical Storm Gordon, passing during the week ending

November 20, flooded some fields around the Zellwood, Lake Okeechobee, and East Coast regions, and in Dade County. Strong winds accompanying the storm whipped and laid over older plants. Most damage from the storm was the loss of recent seedlings due to flooding with producers replanting most of this lost acreage. Dade County reported at least 35 percent of the winter crop acreage was lost and reseeded. Most older plants recovered although Everglades growers abandoned some acreage due to reduced ear quality. Dade growers planted some corn on lost potato acreage. Zellwood producers finished picking in early December. East Coast growers began harvesting around mid-December. Strong winds from a late December storm blew down plants in the East Coast and Dade County areas with some stalks broken off in a few southeastern fields. Although copious rain fell around Lake Okeechobee, most corn acreage was not affected by the adverse weather. Cooler temperatures during late December and early January slowed crop development in some southern regions. Producers in Dade and western Palm Beach counties started picking fields in late January that they planted after Tropical Storm Gordon passed. Cooler temperatures slowed crop development in the East Coast area during early February. Freezing temperatures accompanied by strong winds arrived in southern localities about mid-February. The cold winds burned some leaves on plants around Lake Okeechobee with most acreage recuperating. Zellwood producers started spring crop planting around mid-February. Picking in Dade and western Palm Beach counties and in the East Coast region gained momentum in late February and early March. Planting in northern Peninsula localities became active in late March and early April. Zellwood growers finished planting around mid to late April with harvest underway by the end of the month. Dade County producers finished commercial harvesting by mid-May while growers along the southeastern coast completed picking during the last half of May. Northern Peninsula producers commenced harvesting during the last week of May. Everglades' growers concluded picking in early June. Hot temperatures over central and northern fields reduced yield prospects during June. Zellwood and Everglades' producers finished commercial picking by early July.

### CUCUMBERS

Fresh market cucumber production totaled 5.7 million bushels during 1994-95, two percent above the 5.5 million bushels harvested during the 1993-94 season. A reduced yield, from 489 to 429 55-pound bushels per acre caused the drop in production since acreage har-

vested in 1994-95 at 13,200 acres was 1,900 acres higher than the 11,300 acres picked during the previous season. The 1994-95 yield is the lowest since the average of 385 bushels during the 1987-88 season. The value of the 1994-95 crop fell 21 percent below the previous season, from \$54.0 million in 1993-94 to \$42.6 million for the 1994-95 crop. The price received by growers during 1994-95 averaged \$7.53 per bushel, \$2.24 below the \$9.77 per bushel received for the 1993-94 crop. Growers marketed over half of the crop during April and May 1995. Growers in the East Coast region harvested 40 percent of the State's acreage with 33 percent of the total acreage located in Palm Beach County.

Seedlings became active in the East Coast and West Central regions during mid to late August. Heavy rains delayed planting around Wauchula during September. Harvesting began by early October in the Wauchula and Palmetto-Ruskin areas. Southwestern growers started harvesting around mid-October. East Coast producers began picking during the last half of October. Northern growers marketed some European types in late October with picking of all types virtually finished by mid-November. Strong winds generated by Tropical Storm Gordon singed leaves, and broke off leaves and stems in some East Coast localities during mid to late November. Southwestern and southeastern growers marketed most storm damaged fruit from the last half of November into early December. Strong winds tossed vines in the East Coast area during the last half of December. Cold winds burned young leaves in some southwestern fields during early January. West Central producers began spring crop planting after mid-January with all acreage killed by freezing temperatures in early February. Southwestern growers suffered heavy losses from these cold temperatures. Most East Coast fields escaped damage due to crop covers. Some unprotected plants in southeastern fields that were at the two to three leaf stage of growth when the cold temperatures arrived, recovered. Some young acreage in the Southwest also recovered from the freeze. By late February, growers in the Palmetto-Ruskin area were replanting lost acreage in addition to scheduled planting. Plants in the North Central region began to emerge in early to mid-March. Southwestern and West Central producers virtually completed spring crop planting by late March. Strong winds tossed plants in the East Coast region on March 11 and 12. Southwestern and East Coast growers began harvesting acreage planted after the early February freeze during late March. Milder weather during late March and early April aided the recovery of plants from earlier adverse weather along the southeastern coast. Growers in the Palmetto-Ruskin area began spring crop picking by early April. A low market in April caused southwestern producers to turn harvest of

the oldest fields over to pinhookers. Picking became active in the North Central region by early May. Hot temperatures and the low market brought the East Coast and Southwest harvest to an end during the last half of May. Palmetto-Ruskin growers opened some acreage to U-Pic harvesting in late May with commercial picking continuing through the first half of June.

## EGGPLANT

Eggplant production during the 1994-95 season totaled 1,500,000 bushels. This was down 25 percent from the 2,001,000 bushels harvested during the 1993-94 season. Fall production was down 52 percent from the fall 1993 crop, while the combined winter and spring crops were down 10 percent from the amount harvested during January through June 1994. Yield averaged 652 bushels per acre, 182 bushels less than the previous season's yield. Acres harvested totaled 2,300 compared with 2,400 acres harvested the previous season. The value of production at \$13,500,000 declined 28 percent from the 1993-94 value of \$18,717,000. The price growers received for the 1994-95 crop averaged \$9.00 per bushel, \$0.35 per bushel lower than the previous season average price of \$9.35. The Southeast continued to dominate eggplant production with 68 percent of the crop, or 1,014,000 bushels produced in the area.

Planting began in the East Coast areas in early August with harvest underway in late September and early October. Storms during November and December caused significant wind, rain, and sand damage to the plants in most areas. Good quality fruit continued to be shipped, but gradeout was high due to much scarred, misshapen fruit. Cool temperatures hurt the crop in the early new year, impeding growth and development. Quality and volume improved with the spring weather and harvesting was completed by late June. Overall yields were low.

## ESCAROLE-ENDIVE

Escarole and endive production during the 1994-95 season set a record low for the sixth consecutive season with 999,000 crates harvested, down 12 percent from the previous season's production and previous low of 1,136,000 crates. Although the yield at a record high 624 crates per acre averaged 42 percent of 187 crates higher than the 1993-94 yield of 437 crates, acreage harvested at 1,600 acres dropped to the lowest record for the tenth consecutive season, and was 62 percent or 1,000 acres less than the 2,600 acres cut last season. The average price growers received at \$11.07 per crate

increased to a new record high and was \$5.87 above the 1993-94 average of \$5.20 due to the lower supplies. The previous record high price was the \$6.65 averaged during the 1981-82 season. Total value of the 1994-95 crop at a record high \$11,057,000 showed an 85 percent increase from the previous season's value of \$5,991,000.

Escarole and endive grows mainly in two areas of muck soils, the Central area which is located northeast of Lake Apopka near Zellwood, and the Everglades area located around the southeast side of Lake Okeechobee.

Planting became active during September. Heavy fall rainfall caused some acreage abandonment and reduced yields. Zellwood growers began the harvesting in late October with only light supplies available in late January and no picking during most of February. Everglades growers started cutting by mid-November. Strong winds and blowing sand damaged some leaves during early February in both regions. Growers discarded scarred leaves prior to marketing during late February that reduced acreage yields. Milder weather beginning in late February aided the recovery of plants from the earlier adverse weather that increased yields. Picking of the late winter crop started around Zellwood in late February. Hot temperatures brought the season to an end by mid-June.

## BELL PEPPERS

The 1994-95 Bell pepper production totaled 15.7 million bushels, 34 percent below the previous season's record high production of 23.7 million bushels. The Southeast region accounted for 43 percent of production, followed by the Southwest with 27 percent, and the West Central area with 22 percent. The West, North, North Central, and East Central areas made up the remaining eight percent. Acreage picked during the 1994-95 season totaled 20,300 acres, five percent or 1,100 acres below the record high 21,400 acres harvested during the 1993-94 season. Growers picked an average of 775 bushels per acre during the 1994-95 season, 332 bushels below the record high yield of 1,107 bushels averaged last season. Winds accompanying Tropical Storm Gordon during November blew blooms off plants and increased fruit drop which caused a lower fall crop yield. Strong winds that accompanied the early February freeze again caused lower yields for the winter and spring crops. The 1994-95 yield is the fourth highest of record and continues to reflect the use of new, higher yielding varieties. Producers received an average of \$12.01 per bushel in 1994-95, \$2.73 higher than the \$9.28 grower averaged during 1993-94. The 1994-95 price was the second highest of record and was only eight cents below the record high price of \$12.09 per

bushel obtained for the 1990-91 crop. The value of the 1994-95 crop totaled \$188,938,000, 14 percent below the record high value of \$219,838,000 attained during the 1993-94 season. However, the total value of the 1994-95 crop is the third highest of record. Prices stayed above ten dollars during all months except May, which reflected the short supplies caused by adverse weather. The November and December prices reached new record highs of \$12.81 and \$12.39 per bushel, respectively.

Planting became active in the East Coast region by late July and progressed well in the Southwest, Palmetto-Ruskin, and northern areas during August and most of September. Producers in the West Central area finished fall crop planting by early October. East Coast growers started fall crop harvesting in early October. Abundant rain falling throughout September and most of October reduced yield prospects in some southwestern fields. Palmetto-Ruskin growers began picking around mid-October and producers in the Immokalee area started harvesting during the last half of October. Northern growers picked fields throughout October and into early November with most picking finished by mid-November. Producers in most southern localities picked marketable fruit prior to the passage of Tropical Storm Gordon. Strong wind from this storm caused some leaves to burn and some blooms and leaves to drop from plants in fields located in southeastern and southwestern areas and in Dade County. The Palmetto-Ruskin region escaped significant storm damages. Mostly mild weather during late November and most of December allowed fields to recover from the adverse weather. Dade County growers began harvesting during the first half of January. Palmetto-Ruskin producers started spring crop planting in late January. Cold temperatures in late January caused only minor damage to fields located in Dade County and the Southwest. Strong winds hampered the placement of covers over East Coast fields for protection from freezing temperatures during early February. Southwestern fields showed only light damage from the early February freeze. Palmetto-Ruskin growers suffered up to thirty percent or more loss of acreage due to these freezing temperatures with virtually all affected fields replanted by early March. Sumter County producers virtually finished spring crop transplanting by mid-March. Mostly mild weather during March and April boosted crop growth and fruit development in southern and northern fields. Growers in Wauchula and Palmetto-Ruskin began spring crop picking by mid to late April. Hot temperatures during late April and most of May damaged fruit not protected by foliage canopies in some southeastern and southwestern fields. Dade County producers finished harvesting by mid-May. Some southwestern growers delayed picking because of the low market during May. Harvest increased in northern areas during late May.

Southwestern producers ended picking by early June and Palmetto-Ruskin producers finished by mid-June. Northern growers continued picking a light volume into July.

## POTATOES

Potato production in Florida during 1995, including both winter and spring, totaled 8.96 million cwt. This was 10 percent less than the 1994 crop. A total of 46,800 acres were planted for harvest in 1995, 2 percent less than the previous year. Out of this total 42,900 acres were dug, 8 percent less than 1994. The value of the crop was placed at \$84.0 million, down 29 percent from the previous year. The price received for all potatoes averaged \$9.40 per cwt compared with \$11.90 in 1994. The yield for all potatoes was 210 cwt per acre, down 5 cwt from the previous year.

The first winter potatoes were planted in the southwest area around mid-October and in Dade County in late October. Rains from Tropical Storm Gordon in late November flooded the potato fields in Dade County and killed the crop planted at that time. About one-third of Dade County potatoes had been planted by that time. All the destroyed acreage was replanted. A small acreage was damaged in the southwest and had to be replanted. Planting ended in the southwest in mid-December and in Dade County in mid-January. Harvest in the southwest was underway by mid-February. Harvest in Dade County started in mid-March which was later than normal due to the lost early plantings in late November. There was no major damage to the winter potato crop from the February freeze. Winter potato harvest was complete by mid-May.

In the Hastings area, the largest area of potato production in Florida, planting was underway the first week of January and was complete by mid-March. The late February freeze set back the early potato crop in the Hastings area. Harvesting in the Hastings area started in late April and was complete by late June.

In the other spring production areas, planting started in late November and continued into March. The west central area potatoes were hurt by the February freeze. Harvesting of the other spring crop started in late March and continued into June.

The "red-skinned" varieties are the dominant potatoes grown for winter harvest in south Florida. Most of the winter crop is sold for table stock. In the Hastings and the other spring areas, the "white-skinned" varieties dominate. Most of the production goes to the potato chip industry. The Hastings production is used to produce the Memorial Day chips.

## RADISHES

Production of radishes in Florida totaled 4 million cartons in 1994-95, down 15 percent from the previous season. (A carton of radishes is 15 pounds). This is the lowest production of record starting with the 1965-66 season. The area for harvest was 15,700 acres, down 10 percent from last season. This is also the lowest acreage of record. The yield was 256 cartons per acre, down 17 cartons from 1993-94. The average season value per carton was \$5.94, up 50 cents from last season. The value of annual production was \$23.87 million, down 8 percent from the previous season.

Seedings for the 1994-95 crop were underway by early September in the central/Zellwood and Everglades areas. Harvest started in the central area in early October and in late October in the Everglades area. Late season tropical storm Gordon flooded fields which stopped planting and harvesting during the week ending November 20. The acreage of destroyed radishes was replanted. Planting and harvesting were occasionally delayed by wet weather during the remainder of the season. Cold temperatures in late January and February damaged some young fields which were replanted. Harvesting in the Everglades area was complete in early June and by the end of June in the central area.

## SQUASH

The harvested area of squash in the 1994-95 season was 11,900 acres, down 1,400 acres from the previous season. Production reached 3.14 million bushels, down 31 percent from last season. (A bushel of squash equals 42 pounds.) The yield was 264 bushels per acre, down 78 bushels from the 1993-94 season. Shipments to out-of-State markets had two peaks, a fall season peak in December and a spring season peak in April. The average price for the season was \$13.27 per bushel, up \$3.77 from last season. The total value of the crop was \$41.69 million, down 4 percent from the 1993-94 season.

Florida produces acorn, butternut, yellow crook-neck, yellow straightneck, white, and zucchini squash. The southeast region accounted for 46 percent of the State's production, with the southwest producing 24 percent of the State total.

Planting of the fall crop was mostly complete by early September in the central production areas. In Dade County, planting was active by the end of the month. Harvest of the summer varieties was active by early October. Harvest of the winter varieties started in the northern areas in late October and finished in mid-November. Harvest of the summer varieties (yellow and zuc-

chini varieties) was complete in the southern regions in mid-May and in the North by the end of June.

Late season Tropical Storm Gordon damaged the plants, scarred the fruit, and caused heavy bloom loss to the southern crop. Cold winds in late January burned leaves on the southern crop. A freeze in early February killed the west central crop and severely damaged some fields in the southwest. There was leaf burn in Dade County and in the East Coast areas where plants were not protected. Replanting of lost fields was underway by mid-February. No major weather problems occurred after the February freeze.

## STRAWBERRIES

Production of strawberries reached 14,000,000 flats in the 1994-95 season down slightly from the 14,017,000 flats in the 1993-94 season. Area harvested was 6,000 acres, 200 acres more than the previous year. Yield was 2,333 flats per acre, down from the 2,417 flats per acre last year. (A flat of strawberries equals 12 pounds.) The value of the 1994-95 strawberry crop was \$118,608,000 up 17 percent from the 1993-94 crop. The price per flat at \$8.47 was up sharply from the 1993-94 price of \$7.24 per flat.

The major production area continues to be in Hillsborough County, centered in the Plant City-Dover area. A significant amount of U-Pic acreage is grown in Dade County and the East Coast area. Planting began in late September and was completed by the beginning of November. Major varieties were Oso Grande, Selva, and Sweet Charlie. Harvesting started in late November, peaked in March, and continued into May.

## TOMATOES

The value of the 1994-95 fresh market tomato crop totaled \$461,369 million, down \$6,172 million or one percent from the 1993-94 value of \$467,541 million. Although acreage harvested at 49,000 acres decreased by 1,600 acres from the 50,600 acres picked the previous season, yield per acre rose by 17 cartons, from 1,294 cartons per acre for the 1993-94 crop to 1,311 cartons in 1994-95. The value per carton at \$7.18, f. o. b. basis, was four cents higher than the \$7.14 per carton growers received for the 1993-94 crop. Prices during 1994-95 ranged from a low of \$3.58 per carton averaged during May, to a high of \$10.40 per carton averaged during January. Prices increased in late November through most of January due to the short supplies caused by damages from Tropical Storm Gordon passing over the State on November 14, 15, and 16.

Producers in the Quincy area started transplanting fall crop acreage in mid to late July while growers in the Palmetto-Ruskin and East Coast regions began planting during the first week of August. Southwestern producers commenced plantings by mid-August. Tropical Storm Beryl dumped over six inches of rain on northern fields during the week of August 15 through 21 but did not affect the condition of the crop. The youngest acreage along the southeastern coast started blooming by late August. Plant growth reached the second tie in the oldest fields by early September with plants holding fruit up to three inches in diameter. Dade County growers started making beds for the laying of plastic in early September. Frequent rains throughout September caused no significant damage to the crop, but interrupted field work as picking began in the north and slowed the laying of plastic in Dade County at the end of the month. Heavy showers on October 1 and 2 flooded some fields near Quincy and damaged some fruit nearing maturity. This early October rainfall blew some blooms off plants in the Southwest. Fruit about the size of tennis balls appeared on plants in the East Coast region by early October as Dade County producers began transplanting. Northern growers ended first picks and began second picks about mid-October. Dade County producers seeded some acreage due to a shortage of transplants about mid-October. Adequate plant foliage lessened the occurrence of rain checks caused by wet weather during the first half of October on the skins of the first pickings in the North. Harvesting started in the Southwest, Palmetto-Ruskin, Sumter County, and East Coast areas during the last half of October. The abundant rain during September and the first half of October reduced the yield prospects for the first and some second picks in many southern Peninsula fields. Drier weather during the last half of October accelerated harvesting with 75 percent of the crop picked from northern fields by the first of November. Blooms appeared in the oldest Dade County fields by early November. Above normal temperatures during the first half of November boosted fruit development in southern Peninsula fields. Dade County growers laid plastic in the Frog Pond area for late transplanting during the first half of November. Northern producers harvested about 95 percent of production by mid-November. In November, wind gusts from Tropical Storm Gordon, clocked at 20 to 60 miles per hour, tossed foliage, blew blooms off plants and flung sand that scarred fruit in all southern and most central localities. Heavy rain accompanying the storm flooded some fields in Dade County and the Southwest. Acreage around Palmetto-Ruskin escaped the heavy rainfall, but wind damaged some foliage and fruit in unprotected areas. In the East Coast regions, the storm's wind snapped some transplants off at the first tie and the weight of fruit nearing maturity toppled stakes and plants

in some blocks. Flooding killed some plants in low lying areas of Dade County. A strong market, following the passage of the storm, prompted a few Palmetto-Ruskin and northern producers to make extra picks. However, the arrival of 30 degree temperatures around Quincy during late November brought picking of northern fields to an end. Above average temperatures and mostly dry conditions during late November and early December helped plants to recover from the storm damage. The milder weather allowed plants along the southeastern coast, which snapped off during the storm, to develop succor growth. However, some older fields in the East Coast region did not have enough marketable green fruit for a third pick due to increased fruit drop and a high percentage of pink and scarred fruit caused by Tropical Storm Gordon. Dade County growers started harvesting in early December. Heavy rains and strong wind in early December, and again after mid-month, lowered yield prospects in many southern Peninsula fields. In late December Palmetto-Ruskin workers started laying plastic for spring crop transplanting. Warm, mostly dry weather during January sped plant growth and fruit development over the southern Peninsula. Some Palmetto-Ruskin producers continued making extra picks into late January as the strong market continued. During early January, East Coast and Southwest growers finished picking acreage affected by Tropical Storm Gordon and began harvesting plants not hurt by the storm. Temperatures near freezing produced light frost over the southern Peninsula during the last week of January, but caused no significant damage to the crop. The cool temperatures slowed the spread of disease and aided fruit set and sizing in most fields. Growers harvested most of the marketable fruit by early February to avoid losses from freezing temperatures accompanied by strong winds that arrived during the first weekend in February. Freezing temperatures again showed up around February 9 causing severe damage to some fields in the Southwest and Palmetto-Ruskin areas. Some older plants froze from the top to about six to eight inches down the bush in localities mainly north of Immokalee. Some fields in the Palmetto-Ruskin area suffered from ten to twenty-five percent loss. No frost formed on plants in Dade County due to a light breeze blowing when the cold temperatures occurred with some growers running sprinklers to prevent damage. Wind breaks protected most East Coast fields from frost damage. Young plants in the Palmetto-Ruskin and Southwest regions recovered from the leaf burns caused by the cold temperatures. However, the plants had lower yield prospects due to the increased fruit scarring and bloom loss. During the last half of February, Palmetto-Ruskin growers made spot resets and completely replanted transplants that were killed by the freeze, with warm temperatures aiding the recovery of

plants from the freeze damage in all affected localities. Wind-borne sand and strong wind gusts that accompanied rain storms on February 20 scarred fruit and plant leaves, broke some foliage off plants, and increased bloom losses around Immokalee and Palmetto-Ruskin, and in Dade County. Harvesting was at peak level in Dade County during February. Some sand scarred fruit picked around Immokalee did not meet grade standards during early March. Fruit sets began to appear in oldest fields located around Palmetto-Ruskin during early March. Quincy area growers started spring crop transplanting during the first week of March with about five to ten percent of planned acreage killed by freezing temperatures arriving mid-week. Producers around Oxford finished spring crop transplanting by mid-March. Scattered rain and nearly normal temperatures during most of March improved crop condition in all regions. A very small acreage in the Palmetto-Ruskin area suffered hail and wind damage near mid-March. Heavy rain delayed some transplanting in the Quincy area and some field work along the southeastern coast about mid-March. Gadsden County producers transplanted about 80 percent of planned acreage by the end of March with all fields planted by early April. Most of the Quincy acreage escaped damage from heavy rains occurring after mid-April over the western Panhandle. April showers reduced the effectiveness of pesticides and leached fertilizer in some Palmetto-Ruskin fields with workers making daily spray applications as needed. Picking of the spring crop began around Palmetto-Ruskin about mid-April. Southern growers delayed some second and third picks and northern producers put off first picks due to low markets from late April throughout May. Some Palmetto-Ruskin producers opened fields to U-Pic harvesting in early May. Up to three and a half inches of rain fell over some fields in the Quincy area near mid-May causing reduced fruit quality. Dade County growers stopped picking by mid-May due to the low market. Southwestern producers finished commercial harvesting by late May. Growers around Quincy started picking the spring crop in late May. Palmetto-Ruskin growers made only one pick of several fields due to rapid fruit maturation and the low market. Most northern producers picked marketable fruit prior to the passage of Hurricane Allison in early June. Markets improved by early June with some Palmetto-Ruskin producers making third picks in some fields. East Coast growers finished harvesting about mid-June. Producers in the East Coast area by-passed some third picks and finished harvesting in late June. Typical summer weather of hot temperatures and scattered afternoon showers prevailed over northern localities during July. Quincy growers completed picking by late July.

## WATERMELONS

Production during the 1994-95 season totaled 825 million pounds, 3 percent below the 851 million pounds produced during last season. Harvested acreage totaled 33,000 acres, down 4,000 acres from the previous season. The average yield was 250 cwt per acre, up 20 cwt from the 1993-94 season. Value of production was \$61.8 million, up 7 percent from last season. Growers received 7.5 cents per pound, up 0.7 cents from the previous season.

Southern counties accounted for 37 percent of the production and 24 percent of the harvested acreage. Collier County was the largest county in the south and number two in the State with over 8 percent of the State's harvested acreage. Northern counties accounted for 29 percent of the production and 44 percent of the harvested acreage. Alachua County was number 1 in the north and the number 1 county in the State with over 10 percent of the State's harvested acreage. Central counties had 27 percent of the production and Manatee County was the leading county in the central area with 7 percent of the State's harvested acreage. Western counties had 6 percent of the production and 12 percent of the State's harvested acreage.

A small acreage for harvest during the fall is grown in southern localities and in scattered areas of north and central Florida. These melons are harvested in October, November, and December depending on the weather conditions. This acreage and production is included in the spring crop.

Fall crop plantings began during the summer of 1994 around Palmetto-Ruskin and in scattered areas of north and central Florida. The fall harvest was underway in the north in early October and started in the Palmetto-Ruskin and central areas in mid-October. Fall harvest ended in late December. Planting of the spring crop began in December in the southwest while Palmetto-Ruskin started in mid-January. The early February freeze killed all of the west central acreage up at the time and lost acreage was replanted. In the southwest, the loss was limited and some replanting was necessary. Panhandle planting started in mid-March. Southwest spring crop harvest started in late April and Palmetto-Ruskin spring harvest started in mid-May. North central harvest started in late May and spring crop harvest started in north Florida in early June. Harvest ended in the southwest in early June; Palmetto-Ruskin was complete in late June; and Panhandle, north Florida harvest ended in July.

## OTHER CROPS

**Cantaloupes** are grown in Florida primarily in the spring and summer in the Southwest and North Central areas. Some cantaloupes also are grown during the fall months in the Southwest and West Central areas. The peak harvest period is normally May and June. Much of the production is sold through roadside stands and local markets. This minor crop is not included in the survey program for vegetable and melon statistics. No shipment data is available.

**Cauliflower** is grown in the North Central and West Central areas. Supplies are available from late November through early May. Shipment information is recorded by the Market News Service. In the 1994-95 season, there were 16,500 hundredweight (66,000 25-pound cartons) shipped out of the State. Shipments were down considerably from 23,000 hundredweight in the previous year.

**Celery** production is located mainly in the Central Florida area around Zellwood and in the Everglades, with the Everglades area producing the larger share. Transplanting usually starts by early September and harvest runs from November through June. Due to the limited number of producers growing celery, the Florida Agricultural Statistics Service has discontinued publishing acreage, yield, and price statistics. Shipment information is provided by the Market News Service.

Tropical vegetable production is centered in Dade County where available land continues to be a limiting factor for all agricultural production. The most common tropical vegetables followed by the scientific name, in italics, and other names in parentheses are: boniato-*Ipomea batata* (sweet potato); calabaza-*Cucurbita* (pumpkin); malanga-*Xanthosoma caracu* or *Colocasia esculenta* (dasheen, yautia); and cassava-*Manihot esculenta* (crantz, yucca, tapioca). Boniato, calabaza, and malanga constitute the bulk of production. Peak production of malanga occurs in February through April. Efforts are being made to provide more even supplies throughout the year. Miami and the Tampa Bay areas are important points of consumption for the Florida production. The supplies shipped out of State are primarily for the New York City and Philadelphia areas.

**Collard, turnip, mustard, and other greens** are grown throughout the State and centered around large population areas and in the muck soils of the Everglades and Zellwood areas. Supplies are available for local consumption throughout the year. Shipments to other States were reported from December through early May.

Shipments totaled 6,500 hundredweight during the 1994-95 season, down from 19,250 hundredweight a year earlier.

**Okra** is grown in many areas of the State. Dade County produces okra for local use as well as for shipments to other States. Peak production was in May and June with a good supply in October and November. Shipments of out-of-State markets during the 1994-95 season totaled 51,900 hundredweight. This was down from the previous year when shipments totaled 56,700 hundredweight.

**Green onions and leeks** are produced in the North Central and West Central areas. Supplies are marketed primarily at roadside stands and markets for local use, but there are several large producers who ship to other States.

Most of the dry onions are produced in southern and west central areas of the State. Dry onion shipments totaled 8,000 hundredweight during the 1994-95 season.

**Parsley** is available in both the curly and plain types. The bulk of the commercial volume shipped to other States is produced in the Everglades and Zellwood areas. Light supplies sold for local use are available from Sarasota, Lake Placid, and other areas. Shipments to out-of-State markets totaled 35,240 hundredweight (144,000 21-pound cartons). Most of the shipments occurred from November through May.

**Southern peas** are grown primarily in the West, North, West Central, and Everglades areas of Florida. Dade County also produces a considerable amount of southern peas. Light supplies are generally available from September through December. Heavy movement is spread out from November through May. A high percentage of the crop is utilized for processing, though a part of the crop is sold through local markets for fresh use. Market News Service shipment data for out-of-State markets show 6,750 hundredweight for fresh market during the 1994-95 season, down 58 percent from the previous year.

**Chinese Cabbage** is grown primarily on the mucklands in the Everglades area with minor production in the Zellwood/West Central areas. Harvest began in October and continued through early June. The peak production occurred February and March. Shipments for 1994-95 totaled 163,000 crates (50-pound), down from 184,000 crates the previous year and 246,000 crates in the 1992-93 crop year.

**VEGETABLES, WATERMELONS, POTATOES, AND BERRIES: Acreage, yield, production and value, Florida, crop years 1993-94 and 1994-95**

Crop	Planted acreage		Harvested acreage		Yield per acre	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
	Acres				Cwt	
<b>Vegetables:</b>						
Snap beans <sup>1/</sup>	28,700	33,000	25,500	30,500	52	42
Cabbage	9,900	7,400	9,300	7,000	316	274
Carrots <sup>1/</sup>	7,900	7,800	7,700	5,600	115	130
Sweet corn	45,600	39,600	44,200	36,900	124	131
Cucumbers <sup>1/</sup>	12,400	13,800	11,300	13,200	269	236
Eggplant	2,500	2,350	2,400	2,300	275	215
Escarole	2,600	2,000	2,600	1,600	109	156
Bell peppers	22,200	21,400	21,400	20,300	310	217
Radishes	18,000	19,200	17,400	15,700	41	38
Squash	13,800	12,500	13,300	11,900	144	111
Tomatoes	50,600	49,000	50,600	49,000	324	328
Total	214,200	208,050	205,700	194,000	—	—
Other vegetables <sup>2/</sup>	80,939	81,300	77,329	79,600	162	160
Watermelons	40,000	37,000	37,000	33,000	230	250
Potatoes	47,600	46,800	46,400	42,900	214	209
Strawberries	5,800	6,000	5,800	6,000	290	280
Blueberries	—	—	1,300	1,300	23	19
Total, all crops	388,539	379,150	373,529	356,800	—	—
Crop	Production		Value per cwt		Total value	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
	1,000 cwt		Dollars per cwt		1,000 dollars	
<b>Vegetables:</b>						
Snap beans <sup>1/</sup>	1,331	1,268	42.10	39.90	56,041	50,597
Cabbage	2,941	1,915	10.60	9.10	31,196	17,388
Carrots <sup>1/</sup>	886	728	12.70	21.10	11,252	15,361
Sweet corn	5,498	4,835	19.90	21.80	109,258	105,311
Cucumbers <sup>1/</sup>	3,040	3,114	17.80	13.70	53,993	42,610
Eggplant	660	495	28.30	27.30	18,717	13,500
Escarole	284	250	20.80	44.30	5,911	11,057
Bell peppers	6,636	4,406	33.10	42.90	219,838	188,938
Radishes	713	603	36.30	39.60	25,888	23,873
Squash	1,911	1,320	22.60	31.60	43,216	41,686
Tomatoes	16,371	16,060	28.60	28.70	467,541	461,369
Total	40,271	34,992	—	—	1,042,851	971,690
Other vegetables <sup>2/</sup>	12,527	12,736	18.70	18.80	234,367	238,800
Watermelons	8,510	8,250	6.80	7.50	57,868	61,793
Potatoes <sup>3/</sup>	9,939	8,957	11.90	9.40	118,655	84,010
Strawberries	1,682	1,680	60.30	70.60	101,425	118,608
Blueberries	30	25	189.70	202.00	5,690	5,050
Total, all crops	72,959	66,640	—	—	1,560,856	1,479,951

<sup>1/</sup> Fresh and processing. <sup>2/</sup> Other fresh and processing vegetables, and cantaloupes. <sup>3/</sup> Production sold.

**VEGETABLES, WATERMELONS, POTATOES, AND BERRIES: Harvested acreage, Florida, crop years  
1980-81 through 1994-95 <sup>1</sup>**

Crop year	Harvested acreage				
	Vegetables	Watermelons	Potatoes	Berries <sup>2/</sup>	Total
Acres					
1980-81	315,500	49,000	29,900	3,200	397,600
1981-82	304,470	48,000	31,900	5,000	389,370
1982-83	313,190	49,000	31,300	5,400	403,890
1983-84	317,390	60,000	33,600	5,100	416,090
1984-85	320,780	54,000	35,100	5,300	415,180
1985-86	312,300	47,550	32,600	4,900	397,350
1986-87	309,625	46,100	35,700	4,900	396,325
1987-88	313,800	49,800	36,100	5,000	404,700
1988-89	306,750	50,000	42,600	5,300	404,650
1989-90	272,380	45,000	44,700	5,300	367,380
1990-91	272,410	36,000	43,000	5,500	356,910
1991-92	289,655	45,000	40,100	5,900	380,655
1992-93	285,818	37,000	41,900	6,800	371,518
1993-94	283,029	37,000	46,400	7,100	373,529
1994-95	273,600	33,000	42,900	7,300	356,800

**VEGETABLES, WATERMELONS, POTATOES, AND BERRIES: Value of production, Florida, crop  
years 1980-81 through 1994-95 <sup>1/</sup>**

Crop year	Value of production				
	Vegetables	Watermelons	Potatoes	Berries <sup>2/</sup>	Total
1,000 dollars					
1980-81	709,148	52,714	72,628	27,888	862,378
1981-82	759,940	54,648	61,969	52,358	928,915
1982-83	926,317	58,212	55,748	52,531	1,092,808
1983-84	887,505	62,124	70,188	38,842	1,058,659
1984-85	830,987	53,336	74,323	61,268	1,019,914
1985-86	980,231	54,506	67,315	50,157	1,152,209
1986-87	1,107,614	69,774	113,859	67,062	1,358,309
1987-88	1,147,068	62,556	45,966	73,875	1,329,465
1988-89	1,325,550	45,050	128,323	92,188	1,591,111
1989-90	1,439,317	64,350	139,914	75,324	1,718,905
1990-91	1,353,302	80,767	163,964	84,876	1,682,909
1991-92	1,526,689	66,150	92,359	108,810	1,794,008
1992-93	1,568,095	66,600	128,194	122,613	1,775,502
1993-94	1,277,218	57,868	118,655	107,115	1,560,856
1994-95	1,210,490	61,793	84,010	123,658	1,479,951

<sup>1/</sup> Vegetable crops include snap beans, cabbage, carrots, celery, sweet corn, cucumbers, eggplant, escarole, lettuce, green peppers, squash, tomatoes, radishes, spinach, other fresh and processing vegetables, and cantaloupes. <sup>2/</sup> Berries for years 1991-95 include strawberries and blueberries.

**SNAP BEANS:** Acreage, production, and value , Florida,  
crop years 1980-81 through 1994-95

Crop year	Acreage		Yield per acre	Production	Value per crate	Total value
	Planted	Harvested				
	Acres		30-lb bushel	1,000 bushels	Dollars	1,000 dollars
1980-81	49,100	41,100	85	3,473	10.39	36,089
1981-82	50,400	46,300	82	3,786	10.33	39,112
1982-83	48,700	46,400	90	4,154	10.60	44,041
1983-84	46,200	44,000	96	4,210	9.22	38,824
1984-85	48,200	45,700	87	3,960	8.99	35,592
1985-86	39,500	37,900	106	4,028	10.23	41,194
1986-87	35,100	34,000	127	4,321	11.46	49,536
1987-88	30,400	29,400	150	4,419	12.20	53,897
1988-89	28,200	25,900	138	3,568	14.85	52,977
1989-90	24,900	19,700	188	3,707	11.05	40,948
1990-91	21,750	20,950	178	3,729	13.54	50,495
1991-92	30,900	29,450	192	5,653	12.97	73,319
1992-93	28,800	27,200	174	4,746	14.85	70,466
1993-94	28,700	25,500	174	4,438	12.63	56,041
1994-95	33,000	30,500	139	4,227	11.97	50,597

**SNAP BEANS:** Acreage and production for fresh market by areas,  
Florida, crop years 1993-94 and 1994-95

Areas	Planted		Harvested		Yield per acre		Production	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
	Acres				30-lb bushel		1,000 bushels	
West	300	300	300	300	206	150	62	45
North <sup>1/</sup>	2,000	3,200	1,900	2,900	170	130	323	377
West Central	1,600	600	1,500	600	184	155	276	93
Southeast <sup>2/</sup>	24,800	28,900	21,800	26,700	173	139	3,777	3,712
State	28,700	33,000	25,500	30,500	174	139	4,438	4,227
Oct - Dec	8,000	7,700	7,300	6,600	167	151	1,218	997
Jan - Jul	20,700	25,300	18,200	23,900	177	135	3,220	3,230

<sup>1/</sup> Includes North Central and East Central. <sup>2/</sup> Includes Southwest and Everglades.

**SNAP BEANS:** Acreage harvested for fresh market by selected counties,  
Florida, crop years 1989-90 through 1994-95

Counties	1989-90	1990-91	1991-92	1992-93	1993-94	1994-95
	Acres					
Alachua	1,400	1,400	1,500	900	800	1,700
Dade (bush)	10,600	13,100	16,000	18,800	15,500	14,700
Dade (pole)	1,400	1,500	2,500	2,000	2,200	2,200
Other counties	6,300	4,950	9,450	5,500	7,000	11,900
State	19,700	20,950	29,450	27,200	25,500	30,500

**SNAP BEANS:** Production sold, for fresh market monthly, Florida,  
crop years 1990-91 through 1994-95

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 30-lb bushels										
1990-91	71	483	602	606	485	438	664	368	12	3,729
1991-92	102	594	735	693	672	1,088	1,036	677	56	5,653
1992-93	49	392	490	602	703	652	904	954	<sup>1/</sup>	4,746
1993-94	<sup>2/</sup>	654	564	589	628	786	707	510	<sup>1/</sup>	4,438
1994-95	<sup>2/</sup>	457	540	460	470	585	1,205	510	<sup>1/</sup>	4,227
Percent										
1990-91	1.9	13.0	16.1	16.3	13.0	11.7	17.8	9.9	0.3	100.0
1991-92	1.8	10.5	13.0	12.3	11.9	19.2	18.3	12.0	1.0	100.0
1992-93	1.0	8.3	10.4	12.7	14.8	13.7	19.0	20.1	<sup>1/</sup>	100.0
1993-94	<sup>2/</sup>	14.7	12.7	13.3	14.2	17.7	15.9	11.5	<sup>1/</sup>	100.0
1994-95	<sup>2/</sup>	10.8	12.8	10.9	11.1	13.8	28.5	12.1	<sup>1/</sup>	100.0

<sup>1/</sup> June combined with May. <sup>2/</sup> October combined with November.

**SNAP BEANS:** Average value per bushel for fresh market sales, monthly,  
Florida, crop years 1990-91 through 1994-95

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Average
Dollars										
1990-91	10.50	14.60	14.50	11.20	11.90	13.30	16.70	11.80	12.80	13.54
1991-92	5.94	14.22	12.93	12.96	14.16	12.33	12.06	14.22	12.84	12.97
1992-93	13.95	14.97	19.80	16.38	14.16	14.28	13.89	13.14	<sup>1/</sup>	14.85
1993-94	<sup>2/</sup>	13.86	12.84	12.03	11.94	11.16	14.64	11.85	<sup>1/</sup>	12.63
1994-95	<sup>2/</sup>	16.92	21.54	13.14	14.01	9.69	4.95	13.68	<sup>1/</sup>	11.97

<sup>1/</sup> June combined with May. <sup>2/</sup> October combined with November.

**CABBAGE: Acreage, production, and value, Florida,  
crop years 1980-81 through 1994-95**

Crop year	Acreage		Yield per acre	Production	Value per crate	Total value
	Planted	Harvested				
	Acres		50-lb crate	1,000 crates	Dollars	1,000 dollars
1980-81	17,600	15,800	487	7,696	3.52	27,115
1981-82	16,500	14,200	436	6,191	5.43	33,611
1982-83	16,300	14,700	464	6,824	3.32	22,687
1983-84	19,000	11,000	449	4,937	8.25	40,736
1984-85	19,600	16,650	491	8,174	6.21	50,775
1985-86	18,850	14,400	409	5,891	4.53	26,714
1986-87	16,600	13,300	427	5,677	4.62	26,202
1987-88	17,100	15,600	421	6,560	4.51	29,559
1988-89	15,900	15,500	418	6,480	4.70	30,433
1989-90	14,300	12,900	430	5,548	6.95	38,575
1990-91	12,700	11,950	478	5,716	5.03	28,731
1991-92	13,000	12,300	467	5,745	5.41	31,100
1992-93	10,400	9,800	586	5,738	7.37	42,277
1993-94	9,900	9,300	632	5,882	5.30	31,196
1994-95	7,400	7,000	547	3,830	4.54	17,388

**CABBAGE: Production sold, monthly, Florida, crop  
years 1990-91 through 1994-95**

Crop year	Nov <sup>1/</sup>	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 50-lb crates									
1990-91	29	630	1,268	1,086	1,509	1,023	160	11	5,716
1991-92	34	304	882	1,035	1,695	1,351	327	17	5,745
1992-93	58	230	1,176	1,062	1,468	1,274	453	17	5,738
1993-94	63	187	902	1,352	1,840	1,296	226	17	5,882
1994-95	--	<sup>2/</sup>	632	678	1,237	1,092	180	11	3,830
Percent									
1990-91	.5	11.0	22.2	19.0	26.4	17.9	2.8	.2	100.0
1991-92	.6	5.3	17.1	18.0	29.5	23.5	5.7	.3	100.0
1992-93	1.0	4.0	20.5	18.5	25.6	22.2	7.9	.3	100.0
1993-94	1.1	3.2	15.3	23.0	31.3	22.0	3.8	.3	100.0
1994-95	--	<sup>2/</sup>	16.5	17.7	32.3	28.5	4.7	.3	100.0

<sup>1/</sup> Includes October shipments. <sup>2/</sup> Included in January shipments.

**CABBAGE: Average value per crate for fresh market sales, monthly,  
Florida, crop years 1990-91 through 1994-95**

Crop year	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Average
Dollars									
1990-91	6.10	6.00	5.30	4.20	4.55	5.40	6.40	6.40	5.03
1991-92	6.05	6.00	5.95	5.40	5.45	5.00	4.70	4.00	5.41
1992-93	4.20	5.20	6.50	6.85	8.20	7.60	9.00	8.00	7.37
1993-94	6.25	6.60	6.25	4.70	5.25	5.05	5.65	5.50	5.30
1994-95	--	--	7.80	5.50	3.00	3.70	4.25	4.00	4.54

**CABBAGE: Acreage and production by areas, Florida,  
crop years 1993-94, 1994-95**

Areas	Planted		Harvested		Yield per acre		Production	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
	Acres				50-lb crate		1,000 crates	
Hastings	3,600	2,700	3,500	2,600	650	550	2,275	1,430
Other North & West	350	300	300	250	553	500	166	125
North Central	1,450	900	1,100	800	570	520	627	416
East & West Central	3,550	3,000	3,500	2,900	660	561	2,310	1,627
South	950	500	900	450	560	515	504	232
State	9,900	7,400	9,300	7,000	632	547	5,882	3,830


**CABBAGE: Acreage harvested by selected counties, Florida,  
crop years 1989-90 through 1994-95**

Counties	1989-90	1990-91	1991-92	1992-93	1993-94	1994-95
Acres						
Flagler	2,100	1,900	1,700	2,000	1,800	1,500
Manatee	5,000	3,600	3,900	2,400	3,200	2,800
Putnam & St. Johns	1,300	1,850	1,600	2,000	1,700	1,100
Other counties	4,500	4,600	3,600	3,400	2,600	1,600
State	12,900	11,950	12,300	9,800	9,300	7,000

**CARROTS: Acreage, production and value, Florida,  
crop years 1985-86 through 1994-95**

Crop year	Acreage		Yield per acre	Production	Value per cwt	Total value
	Planted	Harvested				
	Acres		Cwt	1,000 cwt	Dollars	1,000 dollars
1985-86	13,000	12,300	69	849	13.00	11,037
1986-87	12,600	12,100	88	1,065	10.80	11,502
1987-88	12,700	12,200	97	1,183	11.40	13,486
1988-89	9,700	9,400	100	940	16.00	15,040
1989-90	9,900	7,200	150	1,080	16.30	17,604
1990-91	9,400	9,000	115	1,035	21.80	22,563
1991-92	9,400	9,000	145	1,305	15.50	20,228
1992-93	8,000	7,800	170	1,326	16.90	22,409
1993-94	7,900	7,700	115	886	12.70	11,252
1994-95	7,800	5,600	130	728	21.10	15,361


**CARROTS: Harvested acreage and value of production,  
crop years 1985-86 through 1994-95**



**CARROTS: Average value per hundredweight for fresh market sales,  
monthly, Florida, crop years 1990-91 through 1994-95**

Crop year	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Season total
Dollars									
1990-91	23.70	17.60	22.20	19.90	21.30	25.60	24.90	19.60	21.80
1991-92	29.70	17.80	15.35	14.45	15.95	12.65	16.15	22.15	15.50
1992-93	30.20	13.80	14.40	17.10	20.80	16.80	17.90	12.60	16.90
1993-94	--	--	13.80	10.80	11.70	11.40	15.40	14.40	12.70
1994-95	--	--	20.70	16.90	22.20	25.20	20.10	25.20	21.10

**CARROTS: Five-year average monthly price and percent sold, crop years 1990-91 through 1994-95**




**CARROTS: Production sold, monthly, Florida, crop years 1990-91 through 1994-95**

Crop year	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Season total
1,000 cwt									
1990-91	10	114	228	217	217	186	52	11	1,035
1991-92	13	78	222	222	287	248	157	78	1,305
1992-93	13	53	265	172	239	239	226	119	1,326
1993-94	--	--	195	142	159	195	151	44	886
1994-95	--	--	80	160	190	138	138	22	728
Percent									
1990-91	1.0	11.0	22.0	21.0	21.0	18.0	5.0	1.0	100.0
1991-92	1.0	6.0	17.0	17.0	22.0	19.0	12.0	6.0	100.0
1992-93	1.0	4.0	20.0	13.0	18.0	18.0	17.0	9.0	100.0
1993-94	--	--	22.0	16.0	18.0	22.0	17.0	5.0	100.0
1994-95	--	--	11.0	22.0	26.0	19.0	19.0	3.0	100.0

**SWEET CORN: Acreage, production, and value, Florida,  
crop years 1980-81 through 1994-95**

Crop year	Acreage		Yield per acre	Production	Value per crate	Total value
	Planted	Harvested				
	Acres		42 lb-crates	1,000 crates	Dollars	1,000 dollars
1980-81	57,800	51,900	217	11,259	4.82	54,246
1981-82	55,400	50,100	215	10,764	5.68	61,167
1982-83	62,500	57,700	196	11,281	5.74	64,745
1983-84	59,900	55,200	198	10,936	5.58	61,016
1984-85	61,500	51,900	215	11,162	6.05	67,581
1985-86	59,500	50,200	211	10,598	5.69	60,270
1986-87	54,900	51,100	224	11,466	6.05	69,350
1987-88	59,100	55,300	232	12,812	5.58	71,551
1988-89	58,700	48,400	236	11,426	7.30	83,380
1989-90	58,200	51,300	275	14,094	6.35	89,559
1990-91	50,800	48,200	249	11,982	7.90	94,695
1991-92	52,800	50,100	243	12,181	6.38	77,688
1992-93	46,700	42,400	266	11,274	8.65	97,540
1993-94	45,600	44,200	296	13,091	8.35	109,258
1994-95	39,600	36,900	312	11,511	9.15	105,311

**SWEET CORN: Harvested acreage and value of production,  
crop years 1980-81 through 1994-95**



**SWEET CORN: Production sold, monthly, Florida, crop  
years 1985-86 through 1994-95**

Crop year	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 crates											
1985-86	597	792	709	337	165	248	849	3,751	2,995	155	10,598
1986-87	449	894	652	343	247	450	1,689	3,560	2,931	251	11,466
1987-88	445	808	419	337	274	646	1,479	4,858	3,289	257	12,812
1988-89	262	433	429	260	331	431	680	5,320	3,046	234	11,426
1989-90	857	804	463	<sup>2/</sup>	<sup>2/</sup>	1,057	3,017	4,610	3,004	282	14,094
1990-91	1,078	827	982	539	252	443	1,642	4,098	1,809	312	11,982
1991-92	1,152	449	328	268	244	244	2,206	4,036	2,523	731	12,181
1992-93	169	475	487	472	236	590	1,179	4,128	3,066	472	11,274
1993-94	532	709	473	<sup>3/</sup>	810	1,080	3,200	4,225	2,062	<sup>4/</sup>	13,091
1994-95	479	664	263	349	247	965	1,950	3,400	2,200	994	11,511
Percent											
1985-86	5.6	7.5	6.7	3.2	1.6	2.3	8.0	35.4	28.2	1.5	100.0
1986-87	3.9	7.8	5.7	3.0	2.2	3.9	14.7	31.0	25.6	2.2	100.0
1987-88	3.5	6.3	3.3	2.6	2.1	5.0	11.6	37.9	25.7	2.0	100.0
1988-89	2.3	3.8	3.8	2.3	2.9	3.8	6.0	46.5	26.6	2.0	100.0
1989-90	6.1	5.7	3.3	<sup>2/</sup>	<sup>2/</sup>	7.5	21.4	32.7	21.3	2.0	100.0
1990-91	9.0	6.9	8.2	4.5	2.1	3.7	13.7	34.2	15.1	2.6	100.0
1991-92	9.5	3.7	2.7	2.2	2.0	2.0	18.1	33.1	20.7	6.0	100.0
1992-93	1.5	4.2	4.3	4.2	2.1	5.2	10.5	36.6	27.2	4.2	100.0
1993-94	4.1	5.4	3.6	<sup>3/</sup>	6.2	8.2	24.4	32.3	15.8	<sup>4/</sup>	100.0
1994-95	4.2	5.8	2.3	3.0	2.1	8.4	16.9	29.6	19.1	8.6	100.0

<sup>1/</sup> September included with October. <sup>2/</sup> January and February included with March. <sup>3/</sup> January included with February.

<sup>4/</sup> July included with June.

**SWEET CORN: Average monthly value per crate for fresh market sales,  
Florida, crop years 1985-86 through 1994-95**

Crop year	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
Dollars											
1985-86	4.75	4.49	4.41	9.24	11.21	10.25	8.19	5.46	5.04	4.49	5.69
1986-87	8.06	5.67	5.17	6.59	11.68	8.02	6.72	5.59	5.54	4.24	6.05
1987-88	5.12	4.03	6.55	6.43	10.29	7.48	8.02	4.24	5.71	8.40	5.58
1988-89	9.22	9.55	6.23	10.63	8.36	11.26	11.00	6.22	6.93	8.95	7.30
1989-90	6.05	5.84	7.14	<sup>2/</sup>	<sup>2/</sup>	7.39	6.47	6.59	5.63	6.34	6.35
1990-91	6.09	7.81	5.54	6.68	6.26	12.52	8.95	8.19	8.11	8.06	7.90
1991-92	8.23	7.85	7.43	11.05	9.20	11.84	6.80	6.05	4.49	4.62	6.38
1992-93	10.58	9.49	9.49	9.79	16.46	10.58	9.87	8.74	6.97	5.80	8.65
1993-94	11.55	7.48	9.58	<sup>3/</sup>	7.14	9.58	7.73	8.57	7.87	<sup>4/</sup>	8.35
1994-95	8.25	7.92	10.35	10.50	18.77	11.68	6.97	10.88	7.85	6.01	9.15

<sup>1/</sup> September included. <sup>2/</sup> January and February included with March. <sup>3/</sup> January included with February. <sup>4/</sup> July included with June.


**SWEET CORN: Acreage and production by areas, Florida,  
crop years 1993-94 and 1994-95**

Areas	Planted		Harvested		Yield per acre		Production	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
	Acres				42-lb crates		1,000 crates	
West & North	5,025	5,050	4,975	5,050	290	304	1,437	1,536
Central	8,400	7,500	8,250	7,500	272	234	2,243	1,753
Everglades	26,200	18,400	25,100	18,400	271	346	6,801	6,370
Southeast & Southwest	5,975	5,950	5,875	5,950	444	311	2,610	1,852
State	45,600	39,600	44,200	36,900	296	312	13,091	11,511
Sep thru Dec	9,300	7,600	8,700	5,800	197	242	1,714	1,406
Jan thru Jul	36,300	32,000	35,500	31,100	320	325	11,377	10,105

**SWEET CORN: Acreage and production by areas, Florida,  
crop years 1991-92 and 1992-93**

Areas	Planted		Harvested		Yield per acre		Production	
	1991-92	1992-93	1991-92	1992-93	1991-92	1992-93	1991-92	1992-93
	Acres				42-lb crates		1,000 crates	
West & North	4,100	5,100	3,900	4,600	232	284	905	1,305
Central	12,400	9,600	11,800	9,250	246	272	2,903	2,517
Everglades	28,100	24,650	26,700	22,200	243	259	6,487	5,756
Southeast & Southwest	8,200	7,350	7,700	6,350	245	267	1,886	1,696
State	52,800	46,700	50,100	42,400	243	266	12,181	11,274
Sep thru Dec	9,500	8,000	8,100	7,800	238	145	1,929	1,131
Jan thru July	43,300	38,700	42,000	34,600	244	293	10,252	10,143

**SWEET CORN: Five-year average monthly price and percent  
sold, crop years 1990-91 through 1994-95**



**CUCUMBERS: Acreage and yield, Florida, crop years  
1980-81 through 1994-95**


Crop year	Acreage		Yield per acre	Production	Value per bushel	Total value
	Planted	Harvested				
	Acres		55-lb bushel	1,000 bushels	Dollars	1,000 dollars
1980-81	15,800	14,900	273	4,072	8.85	36,054
1981-82	16,100	15,300	308	4,707	7.00	32,970
1982-83	15,900	15,000	316	4,742	7.77	36,851
1983-84	16,000	15,100	307	4,635	7.33	33,971
1984-85	16,800	16,100	326	5,242	7.13	37,353
1985-86	17,900	16,900	310	5,239	6.86	35,920
1986-87	17,200	16,100	324	5,224	9.37	48,974
1987-88	15,600	14,850	385	5,717	9.58	54,778
1988-89	15,250	13,900	450	6,255	9.89	61,837
1989-90	14,700	13,700	464	6,362	9.73	61,873
1990-91	14,550	13,950	504	7,030	11.16	78,489
1991-92	17,400	16,500	552	9,105	9.71	88,372
1992-93	15,800	15,200	505	7,679	8.43	64,767
1993-94	12,400	11,300	489	5,528	9.77	53,993
1994-95	13,800	13,200	429	5,661	7.53	42,610

**CUCUMBERS: Production sold, for fresh market, monthly, Florida,  
crop years 1990-91 through 1994-95**


Crop year	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun <sup>2/</sup>	Total
1,000 55-lb bushels										
1990-91	603	1,285	772	385	178	476	1,614	1,563	154	7,030
1991-92	865	1,601	1,074	310	145	921	1,735	2,027	427	9,105
1992-93	459	832	1,188	411	209	483	1,096	2,403	598	7,679
1993-94	489	590	339	431	194	532	1,510	1,236	207	5,528
1994-95	650	1,140	267	117	<sup>3/</sup>	341	1,522	1,497	127	5,661
Percent										
1990-91	8.6	18.3	11.0	5.5	2.5	6.8	22.9	22.2	2.2	100.0
1991-92	9.5	17.6	11.8	3.4	1.6	10.1	19.1	22.2	4.7	100.0
1992-93	6.0	10.8	15.5	5.4	2.7	6.3	14.3	31.3	7.7	100.0
1993-94	8.8	10.7	6.1	7.8	3.5	9.6	27.3	22.4	3.8	100.0
1994-95	11.5	20.1	4.7	2.1	<sup>3/</sup>	6.0	27.0	26.4	2.2	100.0

<sup>1/</sup> August and September included. <sup>2/</sup> July included. <sup>3/</sup> Included with January.

**FRESH MARKET CUCUMBERS: Harvested acreage and value of production, crop years 1980-81 through 1994-95**



**FRESH MARKET CUCUMBERS: Five-year monthly price and percent sold, crop years 1990-91 through 1994-95**



**CUCUMBERS:** Average value per bushel for fresh market sales, monthly,  
Florida, crop years 1990-91 through 1994-95

Crop year	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun <sup>2/</sup>	Average
Dollars										
1990-91	5.45	8.60	9.50	14.30	13.80	21.00	11.60	11.90	10.00	11.16
1991-92	6.73	7.37	8.42	17.27	19.91	16.78	10.40	8.64	5.78	9.71
1992-93	6.66	5.56	7.87	10.07	12.38	13.92	12.27	7.26	5.67	8.43
1993-94	8.31	23.38	19.09	7.59	7.92	5.83	5.16	9.40	11.44	9.77
1994-95	8.03	9.03	8.58	30.99	<sup>3/</sup>	7.18	5.31	6.63	5.69	7.53

<sup>1/</sup> August and September included. <sup>2/</sup> July included. <sup>3/</sup> Included with January.

**CUCUMBERS:** Acreage and production for fresh market by areas,  
crop years Florida, 1993-94 and 1994-95

Areas	Planted		Harvested		Yield per acre		Production	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
	Acres				55-lb bushel		1,000 bushels	
North <sup>1/</sup>	675	850	625	800	528	358	330	286
Central	3,485	4,350	3,300	4,075	424	390	1,398	1,591
Southwest <sup>2/</sup>	2,020	3,175	1,925	3,075	616	322	1,186	991
Southeast	6,220	5,425	5,450	5,250	480	532	2,614	2,793
State	12,400	13,800	11,300	13,200	489	429	5,528	5,661
Sep-Dec	3,100	5,300	3,000	5,000	473	411	1,418	2,057
Jan-Jun	9,300	8,500	8,300	8,200	495	440	4,110	3,604

<sup>1/</sup> Includes West. <sup>2/</sup> Includes Everglades.

**CUCUMBERS:** Acreage harvested for fresh market by selected counties,  
Florida, crop years 1989-90 through 1994-95

Counties	1989-90	1990-91	1991-92	1992-93	1993-94	1994-95
Acres						
Alachua	650	600	500	<sup>1/</sup>	<sup>1/</sup>	<sup>1/</sup>
Collier	1,300	1,000	1,750	1,330	725	725
Dade	400	650	900	<sup>1/</sup>	500	<sup>1/</sup>
DeSoto	400	<sup>1/</sup>	<sup>1/</sup>	<sup>1/</sup>	<sup>1/</sup>	<sup>1/</sup>
Hardee	1,400	950	2,150	<sup>1/</sup>	<sup>1/</sup>	<sup>1/</sup>
Hendry	1,650	1,150	1,400	1,150	900	1,600
Hillsborough	500	400	600	400	700	<sup>1/</sup>
Lee	1,650	1,700	1,500	1,450	<sup>1/</sup>	<sup>1/</sup>
Manatee	1,200	1,700	1,750	1,500	850	1,800
Palm Beach (East)	2,600	4,150	4,400	4,300	4,300	4,300
Seminole	300	350	450	<sup>1/</sup>	<sup>1/</sup>	<sup>1/</sup>
Sumter	300	<sup>1/</sup>	<sup>1/</sup>	<sup>1/</sup>	<sup>1/</sup>	<sup>1/</sup>
Other counties	1,350	1,300	1,100	5,070	3,325	4,775
State	13,700	13,950	16,500	15,200	11,300	13,200

<sup>1/</sup> Not published to avoid disclosure of individuals.

**EGGPLANT: Acreage, production, and value, Florida,  
crop years 1980-81 through 1994-95**

Crop year	Acreage		Yield per acre	Production	Value per bushel	Total value
	Planted	Harvested				
	Acres		33-lb bushel	1,000 bushels	Dollars	1,000 dollars
1980-81	3,100	2,800	592	1,658	5.67	9,394
1981-82	2,640	2,530	657	1,661	5.76	9,568
1982-83	2,590	2,500	666	1,666	5.06	8,429
1983-84	2,300	2,100	710	1,491	5.84	8,713
1984-85	2,680	2,500	658	1,646	4.30	7,075
1985-86	2,500	2,350	675	1,586	5.73	9,093
1986-87	2,400	2,300	689	1,585	6.08	9,634
1987-88	2,200	2,100	668	1,403	7.31	10,253
1988-89	2,100	2,000	810	1,619	7.05	11,413
1989-90	2,050	1,950	815	1,589	8.52	13,537
1990-91	2,050	1,950	806	1,571	8.26	12,974
1991-92	2,650	2,550	853	2,174	7.91	17,186
1992-93	2,200	2,000	737	1,474	7.57	11,164
1993-94	2,500	2,400	834	2,001	9.35	18,717
1994-95	2,350	2,300	652	1,500	9.00	13,500

**EGGPLANT: Production sold, monthly, Florida, crop  
years 1990-91 through 1994-95**

Crop year	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 33-lb bushels											
1990-91	141	221	214	202	109	130	177	250	127	<sup>2/</sup>	1,571
1991-92	180	281	287	234	207	209	294	317	165	<sup>2/</sup>	2,174
1992-93	119	313	183	168	121	111	131	228	100	--	1,474
1993-94	142	301	269	180	163	212	310	326	98	--	2,001
1994-95	49	130	163	170	154	61	278	356	139	--	1,500
Percent											
1990-91	9.0	14.0	13.6	12.9	6.9	8.3	11.3	15.9	8.1	<sup>2/</sup>	100.0
1991-92	8.3	12.9	13.2	10.8	9.5	9.6	13.5	14.6	7.6	<sup>2/</sup>	100.0
1992-93	8.1	21.2	12.4	11.4	8.2	7.5	8.9	15.5	6.8	--	100.0
1993-94	7.1	15.0	13.4	9.0	8.2	10.6	15.5	16.3	4.9	--	100.0
1994-95	3.3	8.7	10.8	11.3	10.3	4.1	18.5	23.7	9.3	--	100.0

<sup>1/</sup> September included. <sup>2/</sup> July included with June.

**EGGPLANT: Average value per bushel for fresh market sales, monthly,  
Florida, crop years 1990-91 through 1994-95**


Crop year	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
Dollars											
1990-91	4.55	4.10	6.90	5.80	9.40	13.00	10.20	11.60	10.70	<sup>2/</sup>	8.26
1991-92	5.94	3.80	6.04	7.43	10.86	11.55	9.57	10.43	4.82	<sup>2/</sup>	7.91
1992-93	4.98	6.53	5.21	6.30	5.91	9.31	13.53	9.17	9.01	--	7.57
1993-94	7.89	7.46	7.36	8.75	14.49	11.58	11.42	8.71	6.11	--	9.35
1994-95	7.72	8.15	4.75	13.70	12.18	19.11	8.05	7.62	6.96	--	9.00

<sup>1/</sup> September included. <sup>2/</sup> July included with June.

**EGGPLANT: Acreage and production by areas, Florida,  
crop years 1993-94 and 1994-95**

Areas	Planted		Harvested		Yield per acre		Production	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
	Acres				33-lb bushel		1,000 bushels	
Southeast	1,700	1,550	1,600	1,500	884	676	1,414	1,014
Other Areas	800	800	800	800	734	607	587	486
State	2,500	2,350	2,400	2,300	834	652	2,001	1,500

**EGGPLANT: Harvested acreage and value of production,  
crop years 1988-89 through 1994-95**



**ESCAROLE: Acreage, production, and value, Florida,  
crop years 1980-81 through 1994-95**

Crop year	Acreage		Yield per acre	Production	Value per crate	Total value
	Planted	Harvested				
	Acres		25-lb crate	1,000 crates	Dollars	1,000 dollars
1980-81	7,500	6,200	470	2,912	3.91	11,376
1981-82	5,900	5,300	512	2,712	6.65	18,024
1982-83	6,200	5,600	519	2,908	5.17	15,039
1983-84	6,250	5,700	505	2,876	4.92	14,136
1984-85	6,300	5,700	500	2,852	4.83	13,786
1985-86	6,100	5,500	480	2,640	5.42	14,296
1986-87	5,500	5,100	479	2,442	4.96	12,123
1987-88	4,900	4,700	547	2,573	4.90	12,619
1988-89	4,500	4,250	551	2,343	4.10	9,607
1989-90	4,000	3,500	483	1,690	4.70	7,945
1990-91	3,300	2,950	559	1,650	6.44	10,633
1991-92	3,000	2,800	580	1,624	4.84	7,868
1992-93	2,600	2,500	468	1,169	6.73	7,872
1993-94	2,600	2,600	437	1,136	5.20	5,991
1994-95	2,000	1,600	624	999	11.07	11,057

**ESCAROLE: Florida production sold, by month, crop  
years 1990-91 through 1994-95**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May <sup>1/</sup>	Total
1,000 25-lb crates									
1990-91	7	182	295	346	255	264	237	64	1,650
1991-92	14	224	246	255	247	279	247	112	1,624
1992-93	--	106	154	193	193	193	193	137	1,169
1993-94	--	102	125	99	130	232	286	162	1,136
1994-95	--	<sup>2/</sup>	279	81	101	193	223	122	999
Percent									
1990-91	0.4	11.0	17.9	21.0	15.4	16.0	14.4	3.9	100.0
1991-92	0.9	13.8	15.1	15.7	15.2	17.2	15.2	6.9	100.0
1992-93	--	9.1	13.2	16.5	16.5	16.5	16.5	11.7	100.0
1993-94	--	9.0	11.0	8.7	11.4	20.4	25.3	14.2	100.0
1994-95	--	<sup>2/</sup>	27.9	8.1	10.1	19.3	22.4	12.2	100.0

<sup>1/</sup> June included with May. <sup>2/</sup> November included with December.

**ESCAROLE: Average monthly value per crate for fresh market sales,  
Florida, crop years 1990-91 through 1994-95**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May <sup>1/</sup>	Average
Dollars									
1990-91	5.10	4.65	3.40	5.35	6.60	6.95	11.10	11.70	6.44
1991-92	4.43	4.99	3.79	4.20	4.19	5.00	5.23	8.60	4.84
1992-93	--	4.83	4.81	7.56	9.51	6.38	7.16	5.15	6.73
1993-94	--	5.10	3.78	3.83	3.75	3.93	5.68	9.68	5.20
1994-95	--	<sup>2/</sup>	14.52	24.73	13.13	4.95	8.05	7.58	11.07

<sup>1/</sup> June included with May. <sup>2/</sup> November included with December.

**ESCAROLE: Acreage and production by areas, Florida,  
1993-94 and 1994-95 crop years**

Areas	Planted		Harvested		Yield per acre		Production	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
	Acres				25-lb crate		1,000 crates	
Central <sup>1/</sup>	640	730	640	675	419	634	268	428
Everglades	1,960	1,270	1,960	925	443	617	868	571
State	2,600	2,000	2,600	1,600	437	624	1,136	999
Oct - Dec	800	500	800	400	284	698	227	279
Jan - Jun	1,800	1,500	1,800	1,200	505	600	909	720

<sup>1/</sup> The 1994-95 crop includes a small acreage located in northern counties.

**ESCAROLE: Acreage harvested by areas, Florida, crop  
years 1989-90 through 1994-95**


Areas	1989-90	1990-91	1991-92	1992-93	1993-94	1994-95
Acres						
Central & North	1,000	750	600	700	640	675
Everglades	2,500	2,200	2,200	1,800	1,960	925
State	3,500	2,950	2,800	2,500	2,600	1,600

**BELL PEPPERS:** Acreage, production, and value, Florida,  
crop years 1980-81 through 1994-95 <sup>1/</sup>


Crop year	Acreage		Yield per acre	Production	Value per bushel	Total value
	Planted	Harvested				
	Acres	Acres	28-lb bushel	1,000 bushels	Dollars	1,000 dollars
1980-81	20,400	18,300	435	7,968	8.10	64,516
1981-82	21,500	19,300	412	7,944	7.00	55,592
1982-83	21,400	19,700	482	9,492	9.45	89,687
1983-84	23,000	20,700	467	9,660	7.75	74,833
1984-85	22,700	20,800	507	10,540	6.59	69,460
1985-86	21,100	19,200	586	11,250	6.83	76,786
1986-87	20,100	18,500	617	11,423	12.00	137,033
1987-88	21,500	20,400	649	13,232	7.03	93,044
1988-89	21,900	20,900	673	14,068	7.83	110,181
1989-90	23,100	20,200	655	13,235	8.41	111,246
1990-91	20,700	20,000	718	14,358	12.09	173,628
1991-92	21,400	20,600	1,071	22,066	9.45	208,633
1992-93	21,500	20,400	882	17,988	9.83	176,761
1993-94	22,200	21,400	1,107	23,700	9.28	219,838
1994-95	21,400	20,300	775	15,734	12.01	188,938

<sup>1/</sup> The 1980-81 through 1990-91 crops include a small amount of hot varieties.

**BELL PEPPERS:** Harvested acreage and value of production, crop years 1980-81 through 1994-95



**BELL PEPPERS:** Five-year average monthly price and percent sold, crop years 1990-91 through 1994-95



**BELL PEPPERS: Production sold, monthly, Florida, crop  
years 1985-86 through 1994-95 <sup>1/</sup>**

Crop year	Oct <sup>2/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun <sup>3/</sup>	Total
1,000 28-lb bushels										
1985-86	208	1,234	1,451	1,194	790	1,079	2,014	2,320	960	11,250
1986-87	251	1,292	1,879	1,272	1,080	1,286	1,680	2,057	626	11,423
1987-88	150	1,062	1,797	1,234	1,123	1,580	2,325	2,657	1,304	13,232
1988-89	200	1,380	1,904	1,606	1,434	1,874	2,056	2,674	940	14,068
1989-90	250	1,002	1,688	582	304	1,886	3,278	3,582	663	13,235
1990-91	199	1,228	2,041	2,093	1,333	1,999	2,704	2,380	381	14,358
1991-92	530	2,254	3,802	2,073	1,896	2,933	3,639	3,594	1,345	22,066
1992-93	602	1,722	2,596	2,697	2,570	2,489	2,278	2,489	545	17,988
1993-94	946	2,752	4,134	2,287	2,732	3,502	4,129	2,813	405	23,700
1994-95	205	1,850	2,638	1,455	1,497	1,511	3,093	3,135	350	15,734

**Percent**

1985-86	1.8	11.0	12.9	10.6	7.0	9.6	17.9	20.6	8.6	100.0
1986-87	2.2	11.3	16.4	11.1	9.5	11.3	14.7	18.0	5.5	100.0
1987-88	1.1	8.0	13.6	9.3	8.5	11.9	17.6	20.1	9.9	100.0
1988-89	1.4	9.8	13.6	11.4	10.2	13.3	14.6	19.0	6.7	100.0
1989-90	1.9	7.6	12.8	4.4	2.3	14.3	24.8	27.1	5.0	100.0
1990-91	1.4	8.6	14.2	14.6	9.3	13.9	18.8	16.6	2.6	100.0
1991-92	2.4	10.2	17.2	9.4	8.6	13.3	16.5	16.3	6.1	100.0
1992-93	3.3	9.6	14.4	15.0	14.3	13.8	12.8	13.8	3.0	100.0
1993-94	4.0	11.6	17.4	9.6	11.5	14.8	17.5	11.9	1.7	100.0
1994-95	1.3	11.8	16.8	9.2	9.5	9.6	19.7	19.9	2.2	100.0

<sup>1/</sup> The 1985-86 through 1990-91 crops include a small amount of hot varieties. <sup>2/</sup> Includes September. <sup>3/</sup> Includes July.

**BELL PEPPERS: Average value per bushel for fresh market sales, monthly,  
Florida, crop years 1985-86 through 1994-95 <sup>1/</sup>**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Average
Dollars per bushel										
1985-86	8.00	7.85	6.40	5.90	5.65	8.00	8.75	5.60	5.60	6.83
1986-87	10.00	11.90	8.70	8.20	9.00	10.10	15.80	17.10	12.70	12.00
1987-88	10.10	7.10	6.35	5.35	5.55	6.35	10.90	6.25	5.95	7.03
1988-89	6.25	5.75	5.40	6.00	8.30	7.80	11.40	8.40	9.15	7.83
1989-90	16.30	10.00	7.85	24.90	27.40	8.65	5.95	5.90	6.30	8.41
1990-91	13.80	12.30	9.10	8.70	11.60	12.50	13.50	15.90	11.00	12.09
1991-92	7.43	6.98	5.69	9.30	15.96	17.08	9.80	5.88	8.12	9.45
1992-93	8.76	8.68	8.51	7.42	9.55	9.86	15.51	10.56	6.89	9.83
1993-94	9.44	10.70	10.42	10.34	7.87	8.09	8.37	9.72	7.45	9.28
1994-95	13.13	12.81	12.39	15.82	14.17	16.52	10.62	7.46	12.63	12.01

<sup>1/</sup> The 1985-86 and 1990-91 crops include a small amount of hot varieties.

**BELL PEPPERS: Acreage and production by areas, Florida,  
crops years 1993-94 and 1994-95**

Areas	Planted		Harvested		Yield per acre		Production	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
	Acres				28-lb bushel		1,000 bushels	
North <sup>1/</sup>	450	625	425	625	1,435	630	610	394
North Central <sup>2/</sup>	800	850	725	775	1,381	1,097	1,001	850
West Central	3,800	4,025	3,400	3,800	667	912	2,267	3,467
Southwest	9,600	8,500	9,500	8,100	1,022	522	9,706	4,225
Southeast	7,550	7,400	7,350	7,000	1,376	971	10,116	6,798
State	22,200	21,400	21,400	20,300	1,107	775	23,700	15,734
Sep thru Dec	7,800	7,200	7,700	6,500	1,071	722	7,832	4,693
Jan thru Jul	14,400	14,200	13,700	13,800	1,158	800	15,868	11,041

<sup>1/</sup> Includes West. <sup>2/</sup> Includes East Central.

**BELL PEPPERS: Acreage and production by areas, Florida,  
crops years 1991-92 and 1992-93**

Areas	Planted		Harvested		Yield per acre		Production	
	1991-92	1992-93	1991-92	1992-93	1991-92	1992-93	1991-92	1992-93
	Acres				28-lb bushel		1,000 bushels	
North <sup>1/</sup>	1,500	600	1,400	600	914	1,333	1,280	800
North Central <sup>2/</sup>	1,200	1,100	1,150	1,050	896	867	1,030	910
West Central	3,500	3,600	3,300	3,450	1,021	551	3,369	1,901
Southwest	8,500	9,300	8,250	8,950	1,045	925	8,618	8,276
Southeast	6,700	6,900	6,500	6,350	1,195	961	7,769	6,101
State	21,400	21,500	20,600	20,400	1,071	882	22,066	17,988
Sep thru Dec	7,700	7,400	7,400	7,200	890	683	6,586	4,920
Jan thru Jul	13,700	14,100	13,200	13,200	1,173	1,230	15,480	13,068

<sup>1/</sup> Includes West. <sup>2/</sup> Includes East Central.

**BELL PEPPERS: Acreage harvested by selected counties, Florida,  
crop years 1989-90 through 1994-95 <sup>1/</sup>**

Counties	1989-90	1990-91	1991-92	1992-93	1993-94	1994-95
	Acres					
Alachua	800	700	600			
Collier	5,200	5,400	4,500	5,600 <sup>2/</sup>	5,900 <sup>2/</sup>	4,075 <sup>2/</sup>
Hardee	550					
Hendry	2,500	1,900 <sup>2/</sup>	2,150 <sup>2/</sup>	2,000 <sup>2/</sup>	2,800 <sup>2/</sup>	2,760 <sup>2/</sup>
Hillsborough	1,900	1,000	1,350	1,400	1,725	950
Lee	1,600	1,650	1,600	1,350	800	1,265
Manatee	1,000	1,700	1,400	1,800	900	2,450
Palm Beach (East)	4,350	5,200	5,500	5,600	6,100	6,000
Seminole	200					
Sumter	700	600	500			
Other counties	1,400	1,850	3,000	2,400	3,175	2,800 <sup>2/</sup>
State	20,200	20,000	20,600	20,400	21,400	20,300

<sup>1/</sup> The 1989-90 and 1990-91 crops include a small amount of hot varieties. <sup>2/</sup> Included in other counties to avoid disclosure of individual operations.

**POTATOES: Acreage, production and value, Florida,  
crop years 1981 through 1995**

Crop year	Acreage		Yield per acre	Production	Production sold	Value per cwt	Value of sales
	Planted	Harvested					
	Acres		Cwt	1,000 cwt		Dollars	1,000 dollars
<b>WINTER:</b>							
1990	8,000	7,700	140	1,078	1,072	38.20	40,950
1991	7,600	7,600	195	1,482	1,473	29.20	43,012
1992	8,100	8,100	200	1,620	1,610	22.00	35,420
1993	8,700	8,400	180	1,512	1,503	28.10	42,234
1994	8,400	7,800	180	1,404	1,396	39.10	54,584
1995	8,300	6,900	170	1,173	1,166	23.30	27,168
<b>SPRING (HASTINGS):</b>							
1990	29,000	28,700	240	6,888	6,859	8.25	56,587
1991	27,500	27,000	190	5,130	5,108	16.80	85,814
1992	26,000	25,000	240	6,000	5,975	5.05	30,174
1993	28,000	26,000	180	4,680	4,660	11.00	51,260
1994	29,500	29,000	220	6,380	6,353	6.50	41,295
1995	28,500	27,000	220	5,940	5,916	5.90	34,904
<b>SPRING (OTHER):</b>							
1990	8,500	8,300	220	1,826	1,811	23.40	42,377
1991	8,600	8,400	175	1,470	1,458	24.10	35,138
1992	7,100	7,000	250	1,750	1,738	15.40	26,765
1993	8,000	7,500	185	1,388	1,377	25.20	34,700
1994	9,700	9,600	230	2,208	2,190	10.40	22,776
1995	10,000	9,000	210	1,890	1,875	11.70	21,938
<b>ALL SEASONS:</b>							
1981	30,500	29,900	220	6,565	6,534	11.10	72,628
1982	32,800	31,900	219	6,989	6,957	8.90	61,969
1983	32,100	31,300	193	6,045	6,018	9.25	55,748
1984	34,900	33,600	236	7,924	7,888	8.90	70,188
1985	35,700	35,100	226	7,930	7,894	9.40	74,323
1986	33,400	32,600	262	8,543	8,505	7.90	67,315
1987	36,500	35,700	196	6,987	6,954	16.40	113,859
1988	36,900	36,100	226	8,173	8,134	5.65	45,966
1989	43,600	42,600	195	8,304	8,261	15.50	128,323
1990	45,500	44,700	219	9,792	9,742	14.40	139,914
1991	43,700	43,000	188	8,082	8,039	20.40	163,964
1992	41,200	40,100	234	9,370	9,323	9.90	92,359
1993	44,700	41,900	181	7,580	7,580	17.00	128,194
1994	47,600	46,400	215	9,992	9,939	11.90	118,655
1995	46,800	42,900	210	9,003	8,957	9.40	84,010

**POTATOES:** Production sold, monthly, Florida,  
crop years 1991 through 1995

Crop year	Jan	Feb	Mar	Apr	May	Jun <sup>1/</sup>	Total
1,000 cwt							
1991	74	222	766	1,331	5,004	642	8,039
1992	32	225	909	2,772	3,608	1,777	9,323
1993	38	204	542	1,162	3,475	2,119	7,540
1994	14	251	1,238	2,335	4,403	1,698	9,939
1995	--	105	408	1,807	4,868	1,769	8,957
Percent							
1991	0.9	2.8	9.5	16.6	62.2	8.0	100.0
1992	0.3	2.4	9.8	29.7	38.7	19.1	100.0
1993	0.5	2.7	7.2	15.4	46.1	28.1	100.0
1994	0.1	2.5	12.5	23.5	44.3	17.1	100.0
1995	--	1.2	4.6	20.2	54.3	19.7	100.0

<sup>1/</sup> Includes small quantities sold in July.

**POTATOES:** Average value per cwt for all sales, monthly,  
Florida, crop years 1991 through 1995

Crop year	Jan	Feb	Mar	Apr	May	Jun	Average
Dollars							
1991	34.00	33.80	26.30	25.30	16.50	16.10	20.40
1992	25.00	25.00	24.20	14.80	4.60	3.60	9.90
1993	25.00	24.20	29.10	28.40	17.00	6.80	17.00
1994	43.60	42.20	35.80	9.30	6.05	8.80	11.90
1995	--	27.70	27.30	14.40	6.70	6.40	9.40

**POTATOES: Acreage and production by areas, Florida,  
crop years 1993-94, 1994-95**

crop years 1993-94, 1994-95								
Areas	Planted		Harvested		Yield per acre		Production	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
	Acres				Cwt		1,000 cwt	
Spring								
Hastings <sup>1/</sup>	29,500	28,500	29,000	27,000	220	220	6,380	5,940
Other spring <sup>2/</sup>	9,700	10,000	9,600	9,000	230	210	2,208	1,890
Winter								
Southwest	3,500	3,700	3,400	3,700	180	165	612	612
Southeast	4,900	4,600	4,400	3,200	180	175	792	561
State	47,600	46,800	46,400	42,900	215	210	9,992	9,003

<sup>1/</sup> Includes Flagler, Putnam, and St. Johns' counties. <sup>2/</sup> Includes all other counties in west, north, and central areas.

**POTATOES: Acreage harvested by selected counties,  
Florida, crop years 1990 through 1995**

Counties	1990	1991	1992	1993	1994	1995
	Acres					
Dade	4,800	4,800	4,900	4,700	4,300	3,100
Flagler	3,100	2,500	1,975	2,500	2,600	2,000
Putnam	4,900	4,200	4,800	4,900	5,400	5,000
St. Johns	20,700	20,300	18,225	18,600	21,000	20,000
Other counties	11,200	11,200	10,200	11,200	13,100	12,800
Winter total	7,700	7,600	8,100	8,400	7,800	6,900
Spring total	37,000	35,400	32,000	33,500	38,600	36,000
State total	44,700	43,000	40,100	41,900	46,400	42,900

**RADISHES: Acreage, production, and value, Florida,  
crop years 1985-86 through 1994-95**

Crop year	Acreage		Yield per acre	Production	Value per carton	Total value
	Planted	Harvested				
	Acres		15-lb carton	1,000 cartons	Dollars	1,000 dollars
1985-86	29,400	26,100	216	5,638	3.78	21,312
1986-87	29,700	27,000	207	5,589	3.15	17,605
1987-88	28,000	26,300	192	5,050	3.70	18,685
1988-89	28,200	27,000	235	6,345	3.15	19,987
1989-90	29,000	23,000	350	8,050	3.54	28,497
1990-91	26,100	25,000	285	7,125	4.95	35,269
1991-92	24,900	22,800	269	6,130	3.52	21,578
1992-93	24,900	23,800	261	6,212	5.95	36,961
1993-94	18,000	17,400	273	4,750	5.45	25,888
1994-95	19,200	15,700	256	4,019	5.94	23,873

**RADISHES: Production sold, monthly, Florida, crop  
years 1990-91 through 1994-95**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
	1,000 15-lb cartons									
1990-91	371	974	1,206	952	644	933	1,042	847	156	7,125
1991-92	213	853	931	673	707	787	905	922	139	6,130
1992-93	112	826	1,006	727	683	895	982	882	99	6,212
1993-94	90	499	755	689	708	969	608	266	166	4,750
1994-95	40	414	181	422	804	868	752	498	40	4,019
	Percent									
1990-91	5.2	13.7	16.9	13.4	9.0	13.1	14.6	11.9	2.2	100.0
1991-92	3.5	13.9	15.2	11.0	11.5	12.8	14.8	15.0	2.3	100.0
1992-93	1.8	13.3	16.2	11.7	11.0	14.4	15.8	14.2	1.6	100.0
1993-94	1.9	10.5	15.9	14.5	14.9	20.4	12.8	5.6	3.5	100.0
1994-95	1.0	10.3	4.5	10.5	20.0	21.6	18.7	12.4	1.0	100.0


**RADISHES: Average value per carton for fresh market sales, monthly,  
Florida, crop years 1990-91 through 1994-95**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Average
	Dollars									
1990-91	3.80	3.40	2.80	4.65	8.35	7.25	6.35	4.15	3.00	4.95
1991-92	4.00	3.65	3.00	3.35	3.35	4.05	3.40	3.75	3.35	3.52
1992-93	7.00	4.95	5.90	6.30	8.00	5.70	6.10	5.20	4.70	5.95
1993-94	8.20	7.30	5.35	4.95	4.30	4.25	4.75	8.50	10.70	5.45
1994-95	4.70	6.20	16.70	12.30	5.80	3.70	3.40	4.20	9.50	5.94


**SQUASH: Acreage, production, and value, Florida,  
crop years 1980-81 through 1994-95**

Crop year	Acreage		Yield per acre	Production	Value per bushel	Total value
	Planted	Harvested				
	Acres	Acres	42-lb bushel	1,000 bushels	Dollars	1,000 dollars
1980-81	15,600	14,800	159	2,357	9.72	22,904
1981-82	17,400	16,600	168	2,788	9.69	27,029
1982-83	16,700	16,100	179	2,874	11.12	31,949
1983-84	17,700	16,800	177	2,981	10.12	30,173
1984-85	17,700	16,500	172	2,829	11.00	31,119
1985-86	16,700	15,800	202	3,192	12.60	40,219
1986-87	16,100	15,200	198	3,010	12.30	37,023
1987-88	14,700	14,000	243	3,402	11.80	40,144
1988-89	15,200	13,650	277	3,785	9.50	35,958
1989-90	13,600	11,700	340	3,978	9.20	36,598
1990-91	12,500	11,800	320	3,776	13.30	50,221
1991-92	14,300	13,300	346	4,602	10.75	49,472
1992-93	11,200	10,500	335	3,518	10.85	38,170
1993-94	13,800	13,300	342	4,549	9.50	43,216
1994-95	12,500	11,900	264	3,142	13.27	41,686

**SQUASH: Harvested acreage and value of production,  
crop years 1980-81 through 1994-95**



**SQUASH: Five-year average monthly price and percent sold, crop years 1980-81 through 1994-95**



**SQUASH: Production sold, by month, Florida, crop years 1990-91 through 1994-95**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 42-lb bushels										
1990-91	242	678	542	409	311	499	709	350	36	3,776
1991-92	327	350	496	682	542	688	870	542	105	4,602
1992-93	124	481	501	337	388	431	553	622	81	3,518
1993-94	182	616	692	527	602	742	849	339	--	4,549
1994-95	79	317	361	283	299	383	990	380	50	3,142
Percent										
1990-91	6.4	18.0	14.3	10.8	8.2	13.2	18.8	9.3	1.0	100.0
1991-92	7.1	7.6	10.8	14.8	11.8	14.9	18.9	11.8	2.3	100.0
1992-93	3.5	13.7	14.2	9.6	11.0	12.3	15.7	17.7	2.3	100.0
1993-94	4.0	13.5	15.2	11.6	13.2	16.3	18.7	7.5	--	100.0
1994-95	2.5	10.1	11.5	9.0	9.5	12.2	31.5	12.1	1.6	100.0

**SQUASH: Average value per bushel for fresh market sales, monthly,  
Florida, crop years 1990-91 through 1994-95**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Average
Dollars										
1990-91	14.40	13.00	11.20	12.50	11.40	14.80	15.40	12.70	12.60	13.30
1991-92	7.50	8.40	8.40	13.05	9.45	14.90	10.75	10.75	4.30	10.75
1992-93	7.49	10.77	10.90	11.78	12.78	15.37	11.46	6.97	4.66	10.85
1993-94	7.95	16.83	6.37	10.87	6.54	10.80	7.43	8.92	--	9.50
1994-95	22.80	14.10	16.10	20.20	15.40	14.90	9.50	9.00	15.00	13.27

**SQUASH: Acreage and production by areas, Florida,  
crop years 1993-94, 1994-95**

Areas	Planted		Harvested		Yield per acre		Production	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
	Acres				42-lb bushel		1,000 bushels	
West and North	600	900	500	800	210	210	105	168
North Central	600	600	500	500	310	240	155	120
East and West Central	2,800	1,500	2,700	1,400	370	220	999	308
Southwest	3,800	3,700	3,700	3,600	395	225	1,461	810
Southeast	6,000	5,800	5,900	5,600	310	310	1,829	1,736
State	13,800	12,500	13,300	11,900	342	264	4,549	3,142

**SQUASH: Acreage harvested by selected counties, Florida,  
crop years 1989-90 through 1994-95**

Counties	1989-90	1990-91	1991-92	1992-93	1993-94	1994-95
Acres						
Alachua	600	550	200	150	150	150
Collier	700	550	1,200	1,000	1,100	1,250
Dade	3,400	4,600	5,400	3,700	5,300	5,150
Gadsden	300	200	1/	1/	1	1/
Hardee	950	750	200	1/	1	450
Hillsborough	600	500	600	400	400	200
Lee	900	750	1,000	1,100	2,200	1,600
Marion	400	400	200	150	150	100
Palm Beach (East)	800	600	500	400	400	300
Other counties	3,050	2,900	3,800	3,500	3,600	2,700
State	11,700	11,800	13,300	10,500	13,300	11,900

1/ Included in other counties.

**STRAWBERRIES: Acreage, production, and value, Florida,  
crop years 1980-81 through 1994-95**

Crop year	Acreage		Yield per acre	Production	Value per flat	Total value
	Planted	Harvested				
	Acres		12-lb flat	1,000 flats	Dollars	1,000 dollars
1980-81	3,200	3,200	1,750	5,600	4.98	27,888
1981-82	5,000	5,000	1,625	8,125	6.44	52,358
1982-83	5,400	5,400	1,583	8,550	6.14	52,531
1983-84	5,200	5,100	1,417	7,225	5.38	38,842
1984-85	5,300	5,300	1,667	8,833	6.94	61,268
1985-86	5,000	4,900	1,543	7,558	6.64	50,157
1986-87	4,900	4,900	1,876	9,192	7.30	67,062
1987-88	5,000	5,000	2,083	10,417	7.09	73,875
1988-89	5,300	5,300	2,167	11,483	8.03	92,188
1989-90	5,400	5,300	1,833	9,717	7.75	75,324
1990-91	5,500	5,500	2,000	11,000	7.72	84,876
1991-92	5,400	5,400	2,500	13,500	8.06	108,810
1992-93	5,800	5,800	2,333	13,533	8.96	121,313
1993-94	5,800	5,800	2,417	14,017	7.24	101,425
1994-95	6,000	6,000	2,333	14,000	8.47	118,608

**STRAWBERRIES: Production sold, monthly, Florida, crop  
years 1990-91 through 1994-95**

Crop year	Dec <sup>1/</sup>	Jan	Feb	Mar	Apr	May	Total
1,000 12-lb flats							
1990-91	1,650	1,870	2,200	4,510	770	<sup>2/</sup>	11,000
1991-92	1,350	1,755	3,240	5,400	1,755	<sup>2/</sup>	13,500
1992-93	1,083	2,707	2,165	5,413	2,165	<sup>2/</sup>	13,533
1993-94	981	1,682	3,084	7,569	701	<sup>2/</sup>	14,017
1994-95	1,120	1,540	1,680	5,880	3,780	<sup>2/</sup>	14,000
Percent							
1990-91	15.0	17.0	20.0	41.0	7.0	<sup>2/</sup>	100.0
1991-92	10.0	13.0	24.0	40.0	13.0	<sup>2/</sup>	100.0
1992-93	8.0	20.0	16.0	40.0	16.0	<sup>2/</sup>	100.0
1993-94	7.0	12.0	22.0	54.0	5.0	<sup>2/</sup>	100.0
1994-95	8.0	11.0	12.0	42.0	27.0	<sup>2/</sup>	100.0

<sup>1/</sup> November included. <sup>2/</sup> Combined with April. Less than 0.5 percent.

**STRAWBERRIES: Average value per flat for fresh market sales, monthly,  
Florida, crop years 1990-91 through 1994-95**

Crop year	Dec	Jan	Feb	Mar	Apr	May	Average
Dollars							
1990-91	9.24	11.16	9.60	5.04	6.36	<sup>1/</sup>	7.72
1991-92	11.40	11.88	8.76	6.60	4.92	<sup>1/</sup>	8.06
1992-93	15.96	10.56	10.92	7.08	6.24	<sup>1/</sup>	8.96
1993-94	16.92	9.71	7.08	5.69	4.84	<sup>1/</sup>	7.24
1994-95	15.48	15.72	11.04	6.72	5.04	<sup>1/</sup>	8.47

<sup>1/</sup> Combined with April.

**STRAWBERRIES: Acreage and production by areas, Florida,  
crop years 1993-94, 1994-95**

Areas	Planted		Harvested		Yield per acre		Production	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
	Acres				12-lb flat		1,000 flats	
North	300	300	300	300	2,150	2,133	645	640
Central	5,200	5,400	5,200	5,400	2,445	2,352	12,712	12,700
South	300	300	300	300	2,200	2,200	660	660
State	5,800	6,000	5,800	6,000	2,417	2,333	14,017	14,000

**STRAWBERRIES: Acreage harvested by selected counties, Florida,  
crop years 1989-90 through 1994-95**


Counties	1989-90	1990-91	1991-92	1992-93	1993-94	1994-95
Acres						
Dade & Broward	200	200	200	200	200	200
Hillsborough & Manatee	4,700	4,900	4,800	5,100	5,100	5,300
Other counties	400	400	400	500	500	500
State	5,300	5,500	5,400	5,800	5,800	6,000

**TOMATOES:** Acreage, production, and value, Florida, crop  
years 1980-81 through 1994-95 <sup>1/</sup>


Crop year	Acreage		Yield per acre	Production	Dollars per carton	Total value
	Planted	Harvested				
	Acres		25-lb cartons	1,000 cartons		1,000 dollars
1980-81	47,000	46,300	1,003	46,432	5.49	256,584
1981-82	41,300	40,500	1,250	50,632	5.23	266,306
1982-83	45,600	45,600	1,154	52,640	7.39	390,612
1983-84	49,300	47,600	1,128	53,712	6.83	367,955
1984-85	49,400	47,400	1,223	57,976	5.74	334,091
1985-86	48,700	48,200	1,243	59,904	7.62	457,823
1986-87	53,600	53,300	1,241	66,123	7.78	515,685
1987-88	57,000	56,800	1,344	76,333	7.00	535,489
1988-89	62,500	60,700	1,207	73,288	9.37	687,900
1989-90 <sup>2/</sup>	55,800	51,600	1,169	60,336	7.29	440,434
1990-91	50,500	50,400	1,278	64,430	9.40	606,324
1991-92	52,000	52,000	1,591	82,736	8.81	728,594
1992-93	48,400	48,400	1,483	71,767	8.70	624,235
1993-94	50,600	50,600	1,294	65,483	7.14	467,541
1994-95	49,000	49,000	1,311	64,240	7.18	461,369

<sup>1/</sup> Includes round and plum or pear varieties, and U-Pic. <sup>2/</sup> Excludes 5,200,000 cartons not harvested due to low spring prices.


**PRINCIPAL TOMATO PRODUCING AREAS**



**FRESH MARKET TOMATOES: Harvested acreage and value of production, crop years 1980-81 through 1994-95**



**FRESH MARKET TOMATOES: Five-year average monthly price and percent sold, crop years 1990-91 through 1994-95**



**TOMATOES: Production, monthly, for fresh market, Florida,  
crop years 1985-86 through 1994-95**

Crop year	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun <sup>2/</sup>	Total
1,000 25-lb cartons										
1985-86	1,752	7,612	7,100	6,780	4,578	5,237	10,132	14,495	2,218	59,904
1986-87	1,691	8,239	10,437	8,449	4,593	4,064	9,331	15,877	3,442	66,123
1987-88	1,035	9,027	10,543	9,143	6,480	7,093	13,767	14,799	4,446	76,333
1988-89	512	10,277	8,983	8,116	5,684	13,457	7,894	17,007	1,458	73,288
1989-90 <sup>3/</sup>	723	10,125	8,980	1,509	906	8,874	13,462	15,274	483	60,336
1990-91	1,544	6,367	12,541	10,198	5,737	6,692	7,011	11,791	2,549	64,430
1991-92	3,312	7,287	10,103	11,427	7,346	7,346	17,141	14,692	4,082	82,736
1992-93	1,398	4,965	15,035	6,386	6,678	11,032	7,403	9,435	9,435	71,767
1993-94	3,066	6,772	8,433	6,693	6,173	7,685	10,212	11,044	5,405	65,483
1994-95	3,062	9,851	7,855	5,353	5,785	6,110	8,921	13,139	4,163	64,240
Percent										
1985-86	2.9	12.7	11.9	11.4	7.6	8.7	16.9	24.2	3.7	100.0
1986-87	2.6	12.5	15.8	12.8	6.9	6.1	14.1	24.0	5.2	100.0
1987-88	1.4	11.8	13.8	12.0	8.5	9.3	18.0	19.4	5.8	100.0
1988-89	0.6	13.9	12.3	11.1	7.8	18.4	10.8	23.1	2.0	100.0
1989-90	1.2	16.8	14.9	2.5	1.5	14.7	22.3	25.3	0.8	100.0
1990-91	2.4	9.9	19.5	15.8	8.9	10.4	10.9	18.3	3.9	100.0
1991-92	4.0	8.8	12.2	13.8	8.9	8.9	20.7	17.8	4.9	100.0
1992-93	1.9	6.9	20.9	8.9	9.3	15.4	10.3	13.2	13.2	100.0
1993-94	4.7	10.3	12.9	10.2	9.4	11.7	15.6	16.9	8.3	100.0
1994-95	4.8	15.3	12.2	8.3	9.0	9.5	13.9	20.5	6.5	100.0

<sup>1/</sup> Includes September. <sup>2/</sup> Includes July. <sup>3/</sup> Excludes 5,200,000 cartons not harvested due to low spring prices.

**TOMATOES: Average value per carton for fresh market sales, monthly,  
Florida, crop years 1985-86 through 1994-95**

Crop year	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun <sup>2/</sup>	Average
Dollars per carton										
1985-86	8.65	8.45	10.85	8.55	5.70	6.28	7.53	6.70	4.50	7.62
1986-87	10.00	9.45	9.60	7.08	6.45	8.03	6.73	6.95	7.20	7.78
1987-88	10.70	11.60	5.55	7.88	4.85	7.15	7.48	5.53	4.83	7.00
1988-89	9.00	7.20	3.93	10.85	11.30	8.53	13.95	10.90	7.73	9.37
1989-90	9.15	6.70	10.23	29.00	24.40	8.08	3.65	5.50	5.50	7.29
1990-91	6.08	6.20	7.35	5.78	7.90	11.00	12.33	14.15	13.05	9.40
1991-92	7.21	6.00	3.85	10.13	19.00	20.18	8.10	4.18	4.50	8.81
1992-93	14.90	10.05	8.58	9.58	5.48	5.30	11.30	14.43	5.13	8.70
1993-94	4.45	7.05	14.40	10.38	4.83	6.13	4.14	5.14	7.25	7.14
1994-95	8.61	8.22	9.36	10.40	6.75	9.28	5.13	3.58	8.73	7.18

<sup>1/</sup> Includes September. <sup>2/</sup> Includes July.

**TOMATOES: Acreage and fresh market production by areas and  
crop years, Florida, 1993-94 and 1994-95**

Areas	Planted		Harvested		Yield per acre		Production	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
	Acres				25-lb cartons		1,000 cartons	
West, North, and North Central	4,100	3,650	4,100	3,650	1,378	1,526	5,649	5,570
Palmetto-Ruskin	13,700	15,750	13,700	15,750	1,369	1,237	18,750	19,477
East Coast	6,100	6,200	6,100	6,200	1,508	1,113	9,196	6,901
Southwest	21,600	19,000	21,600	19,000	1,189	1,371	25,691	26,044
Dade	5,100	4,400	5,100	4,400	1,215	1,420	6,197	6,248
State	50,600	49,000	50,600	49,000	1,294	1,311	65,483	64,240
Oct thru Dec	17,700	18,600	17,700	18,600	1,032	1,117	18,271	20,768
Jan thru Jul	32,900	30,400	32,900	30,400	1,435	1,430	47,212	43,472

**TOMATOES: Acreage and fresh market production by areas and  
crop years, Florida, 1991-92 and 1992-93**

Areas	Planted		Harvested		Yield per acre		Production	
	1991-92	1992-93	1991-92	1992-93	1991-92	1992-93	1991-92	1992-93
	Acres				25-lb cartons		1,000 cartons	
West, North, and North Central	3,600	3,900	3,600	3,900	1,560	1,846	6,195	7,199
Palmetto-Ruskin	16,000	13,100	16,000	13,100	1,518	1,711	24,280	22,417
East Coast	6,000	5,950	6,000	5,950	1,659	1,657	9,953	9,859
Southwest	21,300	19,850	21,300	19,850	1,516	1,260	32,286	25,012
Dade	5,100	5,600	5,100	5,600	1,965	1,300	10,022	7,280
State	52,000	48,400	52,000	48,400	1,591	1,483	82,736	71,767
Oct thru Dec	13,800	13,300	13,800	13,300	1,500	1,609	20,702	21,398
Jan thru Jul	38,200	35,100	38,200	35,100	1,624	1,435	62,034	50,369

**TOMATOES: Acreage harvested, for fresh market, selected counties,  
Florida, crop years 1989-90 through 1994-95**

Counties	1989-90	1990-91	1991-92	1992-93	1993-94	1994-95
Acres						
Broward	350	380	500	450	1/	1/
Collier (Ground)	50	--	--	--	--	--
Collier (Staked)	13,700	13,660	14,100	12,900	12,750	10,325
Dade (Ground)	50	50	--	--	--	--
Dade (Staked)	5,750	5,550	5,100	5,600	5,100	4,400
Gadsden	3,600	4,000	3,000	3,000	2,950	2,750
Hardee	720	415	1/	1/	1/	1/
Hendry	2,550	3,830	4,700	3,950	5,050	5,200
Hillsborough	5,800	4,670	3,100	3,025	2,525	3,150
Lee	1,350	2,310	2,200	2,800	3,000	2,725
Manatee	11,900	9,425	12,000	9,200	10,375	12,000
Martin	1,100	1,120	1,200	1,100	1,100	1,175
Palm Beach	3,175	3,650	3,500	3,450	2,800	2,900
Sarasota	320	175	300	1/	1/	1/
St Lucie	1/	1/	400	500	1,200	1,325
Other counties	1,185	1,165	1,900	2,425	3,750	3,050
State	51,600	50,400	52,000	48,400	50,600	49,000

1/ Included in other counties.

**TOMATOES: Percent of acreage harvested, by variety, by growing  
area, south Florida, 1993-94 and 1994-95 1/**

Variety	All areas		Southwest		Palmetto-Ruskin		Dade		East Coast	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
Percent										
Agriset	41.8	35.1	61.9	59.0	41.2	24.0	--	--	7.0	12.8
Sunny	18.2	15.5	12.4	9.6	7.8	7.2	--	0.9	78.3	65.9
Sunbeams	4.6	10.0	3.0	1.6	9.9	15.5	--	36.8	2.3	3.5
Solar Set	9.1	9.2	4.9	3.4	16.8	17.5	4.4	3.7	11.2	11.1
Solar Mars	1.5	4.5	0.1	1.4	4.8	10.5	--	--	0.3	2.4
Merced	3.0	3.1	6.5	7.3	--	--	--	--	--	--
BHN 26	4.0	2.7	8.6	6.4	--	--	--	--	--	--
Olympic	0.9	2.4	0.4	0.0	2.4	7.3	--	--	--	--
Colonial	0.8	2.4	0.6	0.7	1.7	2.8	--	12.0	--	--
Bonita	6.5	2.1	--	--	2.3	0.7	52.2	18.8	--	--
Flavr Savr	--	1.6	--	3.1	--	--	--	2.9	--	--
Cobia	2.2	1.3	--	2.9	--	--	20.0	1.0	--	--
Harlee	0.4	0.9	--	--	1.2	2.6	--	--	--	--
BHN 22	0.9	0.7	--	--	3.3	1.9	--	--	--	--
All other	6.1	8.5	1.6	4.6	8.6	10.0	23.4	23.9	0.9	4.3
All Varieties	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

1/ Excludes cherry and pear or plum varieties.<sup>2/</sup> Includes one or more of the following: experimental varieties, varieties with less than 15 acres, and any proprietary varieties.

**WATERMELONS: Acreage, production, and value, Florida,  
crop years 1980-81 through 1994-95**

Crop year	Acreage		Yield per acre	Production	Value per cwt	Total value
	Planted	Harvested				
	Acres		Cwt	1,000 cwt	Dollars	1,000 dollars
1980-81	54,000	49,000	165	8,085	6.52	52,714
1981-82	56,000	48,000	165	7,920	6.90	54,648
1982-83	59,000	49,000	165	8,085	7.20	58,212
1983-84	64,000	60,000	167	10,020	6.20	62,124
1984-85	59,000	54,000	166	8,964	5.95	53,336
1985-86	53,550	47,550	184	8,749	6.23	54,506
1986-87	54,900	46,100	157	7,238	9.64	69,774
1987-88	57,500	49,800	185	9,213	6.79	62,556
1988-89	58,000	50,000	170	8,500	5.30	45,050
1989-90	53,000	45,000	200	9,000	7.15	64,350
1990-91	46,000	36,000	195	7,011	11.52	80,767
1991-92	53,000	45,000	200	9,000	7.35	66,150
1992-93	42,000	37,000	225	8,325	8.00	66,600
1993-94	40,000	37,000	230	8,510	6.80	57,868
1994-95	37,000	33,000	250	8,250	7.49	61,793

**WATERMELONS: Production sold, monthly, Florida, crop  
years 1990-91 through 1994-95**

Crop year	Apr	May	Jun	Jul	Total
	1,000 cwt				
1990-91	290	3,840	2,767	114	7,011
1991-92	90	3,546	4,833	531	9,000
1992-93	--	2,164	5,162	999	8,325
1993-94	681	3,829	3,915	85	8,510
1994-95	198	4,084	3,943	25	8,250
	Percent				
1990-91	4.1	54.8	39.5	1.6	100.0
1991-92	1.0	39.4	53.7	5.9	100.0
1992-93	--	26.0	62.0	12.0	100.0
1993-94	8.0	45.0	46.0	1.0	100.0
1994-95	2.4	49.5	47.8	0.3	100.0

**WATERMELONS: Average value per cwt for fresh market sales, monthly,  
Florida, crop years 1990-91 through 1994-95**

Crop year	Apr	May	Jun	Jul	Average
	Dollars				
1990-91	12.00	11.90	11.20	5.00	11.52
1991-92	15.00	10.20	4.80	3.50	7.35
1992-93	--	12.50	6.65	5.35	8.00
1993-94	8.00	7.50	5.90	7.00	6.80
1994-95	15.00	8.00	6.60	5.70	7.49

**WATERMELONS: Acreage and production by areas, Florida,  
crop years 1993-94 and 1994-95**

Areas	Planted		Harvested		Yield per acre		Production	
	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95	1993-94	1994-95
	Acres				Cwt		1,000 cwt	
West	3,500	4,500	2,900	3,800	180	138	522	524
North	17,400	15,800	16,200	14,800	213	164	3,450	2,427
Central	8,500	7,500	8,000	6,500	232	346	1,865	2,249
South	10,600	9,200	9,900	7,900	270	386	2,673	3,050
State	40,000	37,000	37,000	33,000	230	250	8,510	8,250

**WATERMELONS: Acreage harvested by selected counties, Florida,  
crop years 1989-90 through 1994-95**

Counties	1989-90	1990-91	1991-92	1992-93	1993-94	1994-95
	Acres					
Alachua	3,000	2,500	3,000	3,000	3,000	3,400
Bradford	400	400	400	1/	1/	1/
Calhoun	300	300	300	1/	1/	1/
Charlotte	700	300	700	1,200	1,500	1,300
Citrus	400	400	500	1/	1/	1/
Collier	4,700	3,300	4,000	3,600	4,000	2,800
Columbia	800	1,000	1,100	1,500	1,500	1,000
DeSoto	2,100	1,700	1,200	2,000	1,900	1,200
Dixie	600	500	800	700	600	800
Gilchrist	2,500	2,000	2,500	2,700	2,700	2,500
Hardee	1,500	1,200	2,100	1,200	1,100	800
Hendry	2,200	1,900	2,300	2,500	2,900	2,500
Hillsborough	400	300	400	1/	1/	1/
Holmes	800	700	1,400	500	500	1,400
Jackson	1,600	1,000	1,100	1,600	1,500	1,000
Jefferson	1,000	800	1,000	900	700	600
Lafayette	1,900	1,500	700	900	900	800
Lake	400	400	400	1/	1/	1/
Lee	900	900	900	1,600	1,400	1,000
Levy	2,400	2,200	2,700	2,600	2,500	2,500
Madison	400	400	500	1/	1/	1/
Manatee	3,200	2,600	3,200	2,700	3,000	2,200
Marion	1,800	1,200	2,500	1,200	1,000	1,000
Okeechobee	300	300	400	1/	1/	1/
Polk	400	300	400	1/	1/	1/
Sarasota	400	300	400	1/	1/	1/
Sumter	1,500	1,200	1,500	2,300	1,900	1,400
Suwannee	3,000	1,900	2,500	2,000	1,800	1,400
Union	500	400	500	1/	1/	1/
Washington	1,900	2,000	1,200	900	800	1,100
Other counties	3,000	2,100	4,400	1,400	1,800	2,300
State	45,000	36,000	45,000	37,000	37,000	33,000

1/ Included in other counties.

Shipments to other States and Canada and exports to other countries by  
months and all methods of shipment for Florida, crop year 1994-95

Commodity	1994			1995							
	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Vegetables:	1,000 cwt										
Snap beans	10	89	89	84	73	118	171	78	1	—	713
Cabbage	--	--	26	130	166	301	261	50	1	—	935
Carrots	--	--	4	19	48	54	40	40	7	--	212
Cauliflower	--	1	2	4	4	1	5	--	--	--	17
Celery	--	4	19	28	73	118	176	134	19	--	576
Chinese cabbage	--	1	10	8	15	19	25	6	--	--	84
Sweet corn	54	64	27	43	35	142	592	1,191	326	50	2,524
Cucumbers	103	299	224	41	3	178	494	482	70	--	1,894
Eggplant	15	36	33	31	24	12	46	62	19	--	278
Endive-Escarole	--	3	12	10	12	19	30	11	1	--	98
Greens	--	--	1	2	3	1	1	--	--	--	8
Lettuce	--	2	4	10	8	26	31	3	--	--	84
Okra	3	6	3	3	3	4	7	12	7	5	53
Dry onions	--	--	1	1	4	1	1	--	1	--	9
Parsley	--	2	3	4	4	7	7	3	--	--	30
Green peppers	26	223	321	186	190	192	393	398	44	--	1,973
Radishes	--	5	2	12	26	34	24	15	--	--	118
Southern peas	--	1	1	--	--	1	1	2	1	--	7
Squash	34	135	132	124	121	197	348	150	13	--	1,254
Tomatoes	649	1,267	1,361	886	804	748	1,296	1,974	934	56	9,975
Cherry tomatoes	1	3	4	3	2	1	3	5	2	--	24
Other vegetables	5	4	5	4	3	3	3	2	1	3	33
Total vegetables	900	2,145	2,284	1,633	1,626	2,177	3,955	4,618	1,447	114	20,899
Potatoes	--	--	--	--	46	168	207	351	169	--	941
Strawberries	--	--	35	47	53	229	42	--	--	--	406
Watermelons	--	--	50	--	--	--	81	2,491	2,386	81	5,089
Total	900	2,145	2,369	1,680	1,725	2,574	4,285	7,460	4,002	195	27,335

**SNAP BEANS:** Shipments to other States and Canada and exports to other countries by months and  
methods of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 bushels											
1991-92	Total <sup>1/</sup>	67	406	493	450	435	704	675	439	38	3,707
1992-93	Total <sup>1/</sup>	29	279	339	326	369	335	458	510	29	2,674
1993-94	Total <sup>1/</sup>	28	436	405	345	379	473	433	316	3	2,818
1994-95	Total <sup>1/</sup>	32	297	298	279	243	392	569	259	4	2,373

<sup>1/</sup> No breakout for processing or fresh in 1992-94. All shipments via truck.

**CABBAGE:** Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 crates											
1991-92	Piggy-back	--	--	--	--	--	11	--	--	--	11
	Truck										
	Fresh	--	15	211	669	717	1,175	140	226	12	3,165
	For proc.	--	--	--	--	--	--	--	--	--	--
	Total	--	15	211	669	717	1,186	140	226	12	3,176
1992-93	Piggy-back	--	--	--	1	--	3	--	--	--	4
	Truck										
	Fresh	--	10	127	656	591	835	713	253	10	3,195
	For Proc.	--	--	--	--	--	--	--	--	--	--
	Total	--	10	127	657	591	838	713	253	10	3,199
1993-94	Piggy-back	--	--	--	--	--	1	2	--	--	3
	Truck										
	Fresh	--	--	8	63	391	574	815	573	104	2,528
	For Proc.	--	--	--	--	--	--	--	--	--	--
	Total	--	--	8	63	391	575	817	573	104	2,531
1994-95	Truck	--	--	51	259	331	602	522	99	2	1,866
	Total	--	--	51	259	331	602	522	99	2	1,866

**CARROTS:** Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 sacks <sup>1/</sup>											
1991-92	Piggy-back	--	--	7	22	21	35	32	9	1	127
	Truck										
	Fresh-mini	3	13	76	129	139	157	137	99	37	790
	Fresh-other	3	5	92	28	271	358	307	197	97	1,358
	Total	6	18	175	179	431	550	476	305	135	2,275
1992-93	Piggy-back	--	7	11	14	4	15	10	2	2	65
	Truck										
	Fresh-mini	--	5	46	81	61	75	73	61	35	437
	Fresh-other	--	--	46	186	139	205	201	147	89	1,013
	Total	--	12	103	281	204	295	284	210	126	1,515
1993-94	Piggy-back	--	--	--	26	24	17	18	10	3	98
	Truck										
	Fresh-mini	--	--	27	91	107	102	188	23	15	553
	Fresh-other	--	1	47	160	184	270	252	157	41	1,112
	Total	--	1	74	277	315	389	458	190	59	1,763
1994-95	Piggy-back	--	--	--	--	7	5	2	3	--	17
	Truck	--	--	8	40	94	108	81	80	14	425
	Total	--	--	8	40	101	113	83	83	14	442

<sup>1/</sup> Fresh-mini sack equals 15 pounds, fresh-other equals 48 pounds. Piggyback varies according to mix of these varieties.

**CAULIFLOWER:** Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 cartons											
1991-92	Total <sup>1/</sup>	--	21	42	15	15	22	11	6	--	133
1992-93	Total <sup>1/</sup>	--	14	18	23	3	--	--	--	--	58
1993-94	Total <sup>1/</sup>	--	23	24	20	24	1	--	--	--	92
1994-95	Total <sup>1/</sup>	--	2	8	14	16	5	21	--	--	66

<sup>1/</sup> All shipments via truck.

**CELERY:** Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 crates											
1991-92	Piggy-back	2	32	24	32	35	61	70	20	--	276
	Truck	66	323	408	386	448	576	544	203	--	2,954
	Total	68	355	432	418	483	637	614	223	--	3,230
1992-93	Piggy-back	2	21	14	14	21	32	68	13	--	185
	Truck	34	215	346	207	338	436	604	201	--	2,381
	Total	36	236	360	221	359	468	672	214	--	2,566
1993-94	Piggy-back	1	8	15	19	17	23	20	8	--	111
	Truck	20	88	221	308	319	293	217	60	--	1,526
	Total	21	96	236	327	336	316	237	68	--	1,637
1994-95	Piggy-back	--	--	--	1	5	9	9	--	--	24
	Truck	6	32	46	129	191	285	215	32	--	936
	Total	6	32	46	130	196	294	224	32	--	960

**CHINESE CABBAGE:** Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 crates											
1991-92	Total <sup>1/</sup>	--	6	15	31	30	32	30	11	2	157
1992-93	Total <sup>1/</sup>	--	4	25	45	37	48	42	24	21	246
1993-94	Total <sup>1/</sup>	--	6	12	36	35	41	33	20	1	184
1994-95	Total <sup>1/</sup>	--	2	19	15	29	38	49	11	--	163

<sup>1/</sup> All shipments via truck.

**SWEET CORN:** Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 crates												
1991-92	Piggy-back	--	2	--	--	--	--	15	57	68	5	147
	Truck	309	407	311	216	349	347	1,969	3,115	2,201	288	9,512
	Total	309	409	311	216	349	347	1,984	3,172	2,269	293	9,659
1992-93	Piggy-back	--	--	--	--	--	1	5	68	29	1	104
	Truck	119	222	191	313	131	377	763	2,481	1,836	275	6,708
	Total	119	222	191	313	131	378	768	2,549	1,865	276	6,812
1993-94	Piggy-back	--	--	--	--	--	--	9	33	14	--	56
	Truck	200	282	196	233	347	491	1,920	2,597	1,037	61	7,364
	Total	200	282	196	233	347	491	1,929	2,630	1,051	61	7,420
1994-95	Piggy-back	--	--	--	--	--	3	13	12	13	--	41
	Truck	128	152	65	102	83	334	1,396	2,824	762	120	5,966
	Total	128	152	65	102	83	337	1,409	2,836	775	120	6,007

<sup>1/</sup> Includes September shipments.

**CUCUMBERS:** Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 cartons											
1991-92	Piggy-back <sup>2/</sup>	--	1	5	--	--	--	2	--	--	8
	Truck										
	Fresh	530	933	622	225	99	654	1,229	1,434	301	6,027
	Total	530	934	627	225	99	654	1,231	1,434	301	6,035
1992-93	Piggy-back <sup>2/</sup>	--	4	1	--	--	4	4	6	2	21
	Truck										
	Fresh	277	788	375	307	122	340	850	1,821	426	5,306
	Total	277	792	376	307	122	344	854	1,827	428	5,327
1993-94	Piggy-back <sup>2/</sup>	--	--	--	--	--	1	1	3	--	5
	Truck										
	Fresh	436	504	297	277	133	319	1,115	899	117	4,097
	Total	436	504	297	277	133	320	1,116	902	117	4,102
1994-95	Piggy-back <sup>2/</sup>	--	--	--	--	--	--	6	--	--	6
	Truck										
	Fresh	188	543	407	74	6	323	892	876	127	3,436
	Total	188	543	407	74	6	323	898	876	127	3,442

<sup>1/</sup> Includes September shipments. <sup>2/</sup> Process included in fresh.

**EGGPLANT: Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95**

Crop year	Method of shipment	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 cartons												
1991-92	Total <sup>2/</sup>	110	201	169	153	126	110	198	202	137	5	1,411
1992-93	Total <sup>2/</sup>	77	144	127	176	126	117	135	242	108	--	1,252
1993-94	Total <sup>2/</sup>	71	148	149	103	87	121	171	181	58	2	1,091
1994-95	Total <sup>2/</sup>	44	110	101	94	72	37	138	187	59	1	843

<sup>1/</sup> Includes September shipments. <sup>2/</sup> All shipments via truck.

**ENDIVE-ESCAROLE: Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95**

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 crates											
1991-92	Total <sup>1/</sup>	4	128	132	128	126	136	122	57	1	834
1992-93	Total <sup>1/</sup>	4	61	91	99	98	100	103	78	--	634
1993-94	Total <sup>1/</sup>	--	55	64	78	95	97	80	22	--	491
1994-95	Total <sup>1/</sup>	--	11	47	39	46	75	121	44	2	385

<sup>1/</sup> All shipments via truck.

**GREENS: Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95**

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 crates											
1991-92	Total <sup>1/</sup>	--	3	7	12	12	6	8	4	1	53
1992-93	Total <sup>1/</sup>	--	1	5	9	14	10	8	5	--	52
1993-94	Total <sup>1/</sup>	--	1	26	28	8	10	4	--	--	77
1994-95	Total <sup>1/</sup>	--	--	2	9	10	3	2	--	--	26

<sup>1/</sup> All shipments via truck.

**LETTUCE:** Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 cartons <sup>1/</sup>											
1991-92	Piggy-back	--	--	--	--	--	--	--	--	--	--
	Truck										
	Iceberg	--	17	173	201	115	126	173	23	--	823
	Romaine	1	61	62	46	32	47	34	8	--	291
	Other	1	39	64	64	82	96	63	12	--	421
	Total	2	117	299	311	229	269	270	43	--	1,540
1992-93	Piggy-back	--	--	--	--	1	--	--	--	--	1
	Truck										
	Iceberg	--	19	64	84	182	150	125	98	--	722
	Romaine	--	23	30	26	35	18	30	15	--	177
	Other	1	24	41	44	66	36	45	14	--	271
	Total	1	66	135	154	283	204	200	127	--	1,170
1993-94	Piggy-back	--	--	--	--	--	--	--	--	--	--
	Truck										
	Iceberg	--	17	52	139	186	178	50	2	--	624
	Romaine	--	20	21	20	17	26	10	3	--	116
	Other	--	17	39	37	35	42	23	2	--	195
	Total	--	54	112	196	238	245	83	7	--	935
1994-95	Truck										
	Iceberg	--	--	2	12	7	31	29	--	--	81
	Romaine	--	3	5	7	7	20	32	5	--	79
	Other	--	2	5	7	11	15	22	3	--	65
	Total	--	5	12	26	25	66	83	8	--	225

<sup>1/</sup> Average weight per carton estimated at: Iceberg, 50 pounds; Romaine, 40 pounds; and other, 16 pounds.

**OKRA:** Shipments to other States and Canada by months and methods of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul <sup>2/</sup>	Total
1,000 bushels												
1991-92	Total <sup>3/</sup>	25	19	7	3	2	2	16	40	26	33	173
1992-93	Total <sup>3/</sup>	1	11	7	4	4	3	6	18	23	11	88
1993-94	Total <sup>3/</sup>	15	20	7	2	4	6	16	59	38	22	189
1994-95	Total <sup>3/</sup>	9	19	11	10	9	14	22	40	22	17	173

<sup>1/</sup> Includes September shipments. <sup>2/</sup> Includes any August shipments. <sup>3/</sup> All shipments via truck.

**DRY ONIONS:** Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 sacks											
1991-92	Total <sup>"</sup>	--	--	1	1	1	1	5	3	3	15
1992-93	Total <sup>"</sup>	--	--	--	--	--	1	--	4	--	5
1993-94	Total <sup>"</sup>	--	--	--	--	--	4	2	6	--	12
1994-95	Total <sup>"</sup>	--	--	1	2	8	2	*2	--	1	16

<sup>"</sup> All shipments via truck. \*1 is rail.

**PARSLEY:** Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 crates											
1991-92	Total <sup>"</sup>	--	41	73	68	68	84	75	28	1	438
1992-93	Total <sup>"</sup>	2	32	56	61	42	44	53	30	4	324
1993-94	Total <sup>"</sup>	1	26	32	36	38	43	45	17	--	238
1994-95	Total <sup>"</sup>	1	10	16	20	21	31	33	12	--	144

<sup>"</sup> All shipments via truck.

**GREEN PEPPERS:** Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 crates												
1991-92	Piggy-back	--	6	17	1	--	--	6	3	--	--	33
	Truck	195	965	126	1,205	1,059	1,651	2,138	2,213	781	29	10,362
	Total	195	971	143	1,206	1,059	1,651	2,144	2,216	781	29	10,395
1992-93	Piggy-back	--	--	--	--	--	--	4	1	4	--	9
	Truck	140	865	1,329	1,358	1,008	1,206	1,332	1,395	584	--	9,217
	Total	140	865	1,329	1,358	1,008	1,206	1,336	1,396	588	--	9,226
1993-94	Piggy-back	--	--	4	9	13	17	15	9	3	--	70
	Truck	146	876	1,448	1,051	1,246	1,604	1,904	1,365	164	4	9,808
	Total	146	876	1,452	1,060	1,259	1,621	1,919	1,374	167	4	9,878
1994-95	Piggy-back	--	--	--	--	--	--	6	1	--	--	7
	Truck	94	798	1,147	664	678	687	1,397	1,419	156	--	7,040
	Total	94	798	1,147	664	678	687	1,403	1,420	156	--	7,047

**IRISH POTATOES:** Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun <sup>1/</sup>	Total
1,000 cwt											
1991-92	Piggy-back	1	--	1	--	7	4	12	47	12	84
	Truck	--	--	--	19	169	430	1,679	3,290	1,706	7,293
	Total	1	--	1	19	176	434	1,691	3,337	1,718	7,377
1992-93	Piggy-back	--	--	--	--	--	--	4	27	5	36
	Truck	--	--	--	28	145	309	746	2,457	1,651	5,336
	Total	--	--	--	28	145	309	750	2,484	1,656	5,372
1993-94	Piggy-back	--	--	--	--	--	1	32	102	11	146
	Truck	--	--	--	7	95	530	1,738	3,150	845	6,365
	Total	--	--	--	7	95	531	1,770	3,252	856	6,511
1994-95	Piggy-back	--	--	--	--	--	3	11	74	29	117
	Truck	--	--	--	--	46	165	196	277	140	824
	Total	--	--	--	--	46	168	207	351	169	941

<sup>1/</sup> Includes July shipments.

**RADISHES:** Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 cwt											
1991-92	Piggy-back	4	39	37	12	--	--	--	16	7	115
	Truck	10	36	52	46	56	71	73	72	5	421
	Total	14	75	89	58	56	71	73	88	12	536
1992-93	Piggy-back	--	46	41	30	32	32	33	43	--	257
	Truck	9	31	39	36	31	42	49	46	8	291
	Total	9	77	80	66	63	74	82	89	8	548
1993-94	Piggy-back	4	33	23	33	28	31	32	8	11	203
	Truck	6	24	38	37	37	42	30	20	2	236
	Total	10	57	61	70	65	73	62	28	13	439
1994-95	Piggy-back	--	1	--	15	47	67	37	21	--	188
	Truck	1	11	6	16	17	18	24	16	1	110
	Total	1	12	6	31	64	85	61	37	1	298

**SOUTHERN PEAS:** Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun <sup>2/</sup>	Total
1,000 bushels											
1991-92	Total <sup>3/</sup>	6	11	7	9	10	10	7	10	5	75
1992-93	Total <sup>3/</sup>	3	3	2	6	4	5	6	6	5	40
1993-94	Total <sup>3/</sup>	--	19	8	10	8	5	7	8	--	65
1994-95	Total <sup>3/</sup>	1	2	4	--	1	4	5	7	3	27

<sup>1/</sup> Includes September shipments. <sup>2/</sup> Includes any July shipments. <sup>3/</sup> All shipments via truck.

**SQUASH:** Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 bushels												
1991-92	Total <sup>2/</sup>	216	540	580	452	482	571	684	426	44	--	3,995
1992-93	Total <sup>2/</sup>	113	429	381	315	335	315	485	568	65	1	3,007
1993-94	Total <sup>2/</sup>	171	600	557	507	554	596	805	278	27	--	4,095
1994-95	Total <sup>2/</sup>	82	321	315	296	287	468	829	357	30	--	2,985

<sup>1/</sup> Includes September shipments. <sup>2/</sup> All shipments via truck.

**STRAWBERRIES:** Shipments to other States and Canada and exports to other countries by months and  
methods of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Dec <sup>1/</sup>	Jan	Feb	Mar	Apr	May	Total
1,000 flats								
1991-92	Air	2	5	2	--	--	--	9
	Truck	540	677	1,327	2,187	693	22	5,446
	Export	9	6	17	11	--	--	43
	Total	551	688	1,346	2,198	693	22	5,498
1992-93	Air	2	2	--	1	--	--	5
	Truck	355	910	745	1,849	807	21	4,687
	Export	20	17	17	10	5	4	73
	Total	377	929	762	1,860	812	25	4,765
1993-94	Air	7	--	4	--	--	--	11
	Truck	334	610	1,079	2,742	231	--	4,996
	Export	4	17	12	4	--	--	37
	Total	345	627	1,095	2,746	231	--	5,044
1994-95	Air	4	10	5	5	3	--	27
	Truck	274	358	430	1,896	344	--	3,302
	Export	12	20	9	4	--	--	45
	Total	290	388	444	1,905	347	--	3,374

<sup>1/</sup> Includes November shipments.

**TOMATOES:** Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 cartons												
1991-92	Piggy-back	34	70	171	66	88	34	250	299	118	21	1,151
	Truck	2,903	5,690	7,923	7,332	6,138	7,344	10,820	11,975	6,332	547	57,004
	Total	2,937	5,760	8,094	7,398	6,226	7,378	11,070	12,274	6,450	568	68,155
1992-93	Piggy-back	5	45	83	46	75	102	149	85	173	--	763
	Truck	2,932	4,530	7,677	6,453	4,998	6,662	6,247	8,421	8,323	106	56,349
	Total	2,937	4,575	7,760	6,499	5,073	6,764	6,396	8,506	8,496	106	57,112
1993-94	Piggy-back	32	48	48	43	66	96	219	216	106	13	887
	Truck	2,447	5,185	5,490	5,869	5,324	5,380	8,434	9,245	4,670	148	52,192
	Total	2,479	5,233	5,538	5,912	5,390	5,476	8,653	9,461	4,776	161	53,079
1994-95	Piggy-back	14	66	80	37	43	72	138	179	35	--	664
	Truck	2,583	5,001	5,363	3,507	3,173	2,918	5,046	7,718	3,702	223	39,234
	Total	2,597	5,067	5,443	3,544	3,216	2,990	5,184	7,897	3,737	223	39,898

Includes September shipments.

**CHERRY TOMATOES:** Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 cwt												
1991-92	Total <sup>2/</sup>	16	60	51	25	25	23	40	65	41	3	349
1992-93	Total <sup>2/</sup>	7	29	34	23	21	18	18	36	41	1	228
1993-94	Total <sup>2/</sup>	9	30	27	26	19	17	36	36	16	1	217
1994-95	Total <sup>2/</sup>	6	22	25	18	10	9	19	36	14	--	159

<sup>1/</sup> Includes September shipments. <sup>2/</sup> All shipments via truck.

**WATERMELONS:** Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Dec <sup>1/</sup>	Jan	Feb	Mar	Apr	May	Jun	Jul <sup>2/</sup>	Total
Loads <sup>3/</sup>										
1991-92	Piggy-back	2	--	--	--	--	406	298	8	714
	Truck	263	104	46	--	90	5,396	7,412	840	14,151
	Total	265	104	46	--	90	5,802	7,710	848	14,865
1992-93	Piggy-back	--	--	--	--	--	145	334	32	511
	Truck	199	18	6	1	22	3,284	7,468	1,417	12,415
	Total	199	18	6	1	22	3,429	7,802	1,449	12,926
1993-94	Piggy-back	1	--	--	--	39	291	117	2	450
	Truck	205	--	--	--	972	5,954	5,536	112	12,779
	Total	206	--	--	--	1,011	6,245	5,653	114	13,229
1994-95	Piggy-back	2	--	--	--	18	256	60	4	340
	Truck	109	--	--	--	162	5,280	5,242	176	10,969
	Total	111	--	--	--	180	5,536	5,302	180	11,309

<sup>1/</sup> Includes shipments prior to December. <sup>2/</sup> Includes any August shipments. <sup>3/</sup> 45,000 pounds per load.

**OTHER FRESH VEGETABLES:** Shipments to other States and Canada by months and methods  
of shipment from Florida, crop years 1991-92 through 1994-95

Crop year	Method of shipment	Oct <sup>1/</sup>	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul <sup>2/</sup>	Total
1,000 cwt												
1991-92	Total <sup>3/</sup>	34	48	68	44	4	4	6	1	--	1	210
1992-93	Total <sup>3/</sup>	20	30	26	25	19	16	17	18	7	8	186
1993-94	Total <sup>3/</sup>	10	10	2	--	--	20	42	23	17	6	130
1994-95	Total <sup>3/</sup>	20	17	21	15	10	12	10	9	3	11	128

<sup>1/</sup> Includes September shipments. <sup>2/</sup> Includes August shipments. <sup>3/</sup> All shipments via truck.

**SNAP BEANS: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1954 through June 1955

City	1,000 bushels received from - -						City	1,000 bushels received from - -					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	138	--	81	--	219	Miami	--	31	--	15	--	46
Balt-Wash	--	179	--	110	--	289	New Orleans	--	11	--	4	--	15
Boston	--	195	--	103	--	298	New York-Newark	--	377	--	156	--	533
Buffalo	--	16	--	1	--	17	Philadelphia	--	106	--	52	--	158
Chicago	--	410	--	210	--	620	Pittsburgh	--	39	--	14	--	53
Cincinnati	--	69	--	24	--	93	St. Louis	--	50	--	23	--	73
Columbia, S.C.	--	32	--	48	--	80	San Fran-Oakland	--	4	--	287	--	291
Dallas	--	89	--	64	--	153	Seattle-Tacoma	--	3	--	63	--	66
Detroit	--	99	--	55	--	154							
Los Angeles	--	6	--	331	--	337	Total U.S.	--	1,854	--	1,641	--	3,495

**CABBAGE: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1954 through June 1955

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	163	--	567	--	730	Miami	--	91	--	103	--	194
Balt-Wash	--	176	--	312	--	488	New Orleans	--	2	--	64	--	66
Boston	--	75	--	324	--	399	New York-Newark	--	233	6	515	6	748
Buffalo	--	1	--	71	--	72	Philadelphia	--	122	2	259	2	381
Chicago	--	178	12	929	12	1,107	Pittsburgh	--	81	--	248	--	329
Cincinnati	--	48	--	343	--	391	St. Louis	--	12	--	225	--	237
Columbia, S.C.	--	62	--	66	--	128	San Fran-Oakland	--	--	--	455	--	455
Dallas	--	1	--	265	--	266	Seattle-Tacoma	--	--	--	263	--	263
Detroit	--	35	--	226	--	261							
Los Angeles	--	--	--	762	--	762	Total U.S.	--	1,280	20	5,997	20	7,277

**CANTALOUPE: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1954 through June 1955

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	22	--	606	--	628	Miami	--	--	--	237	--	237
Balt-Wash	--	3	9	526	9	529	New Orleans	--	--	--	53	--	53
Boston	--	--	63	786	63	786	New York-Newark	--	2	156	661	156	663
Buffalo	--	--	--	39	--	39	Philadelphia	--	--	45	348	45	348
Chicago	--	--	160	1,149	160	1,149	Pittsburgh	--	--	--	240	--	240
Cincinnati	--	--	--	331	--	331	St. Louis	--	--	--	226	--	226
Columbia, S.C.	--	58	--	130	--	188	San Fran-Oakland	--	--	--	783	--	783
Dallas	--	--	--	218	--	218	Seattle-Tacoma	--	--	--	502	--	502
Detroit	--	--	--	383	--	383							
Los Angeles	--	--	--	1,433	--	1,433	Total U.S.	--	85	433	8,651	433	8,736

**CARROTS: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1994 through June 1995

City	1,000 bags received from --						City	1,000 bags received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	77	--	453	--	530	Miami	--	55	45	179	45	234
Balt-Wash	1	32	66	315	67	347	New Orleans	--	4	--	43	--	47
Boston	--	41	541	430	541	471	New York-Newark	11	83	947	755	958	838
Buffalo	--	4	9	111	9	115	Philadelphia	--	38	282	301	282	339
Chicago	--	44	318	950	318	994	Pittsburgh	--	23	3	332	3	355
Cincinnati	--	13	--	466	--	479	St. Louis	--	7	10	287	10	294
Columbia, S.C.	--	17	--	25	--	42	San Fran-Oakland	--	--	--	789	--	789
Dallas	--	2	--	232	--	234	Seattle-Tacoma	--	--	--	442	--	442
Detroit	--	1	6	493	6	494							
Los Angeles	--	--	--	1,077	--	1,077	Total U.S.	12	441	2,227	7,680	2,239	8,121

**CAULIFLOWER: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1994 through June 1995

City	1,000 cartons received from --						City	1,000 cartons received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	--	--	188	--	188	Miami	--	6	--	62	--	68
Balt-Wash	--	1	3	296	3	297	New Orleans	--	--	--	53	--	53
Boston	--	1	123	343	123	344	New York-Newark	--	--	208	355	208	355
Buffalo	--	--	--	58	--	58	Philadelphia	--	13	95	183	95	196
Chicago	--	5	338	727	338	732	Pittsburgh	--	--	--	220	--	220
Cincinnati	--	5	--	238	--	243	St. Louis	--	--	--	218	--	218
Columbia, S.C.	--	--	--	13	--	13	San Fran-Oakland	--	--	--	352	--	352
Dallas	--	--	--	123	--	123	Seattle-Tacoma	--	--	--	261	--	261
Detroit	--	--	--	386	--	386							
Los Angeles	--	--	--	472	--	472	Total U.S.	--	31	767	4,548	767	4,579

**CELERY: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1994 through June 1995

City	1,000 crates received from - -						City	1,000 crates received from - -					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	73	--	197	--	270	Miami	--	44	--	83	--	127
Balt-Wash	--	62	40	338	40	400	New Orleans	--	7	--	50	--	57
Boston	--	87	244	183	244	270	New York-Newark	4	84	381	390	385	474
Buffalo	--	3	3	90	3	93	Philadelphia	--	99	203	225	203	324
Chicago	--	38	435	619	435	707	Pittsburgh	--	36	8	236	8	272
Cincinnati	--	16	--	246	--	262	St. Louis	--	6	--	166	--	172
Columbia, S.C.	--	15	--	13	--	28	San Fran-Oakland	--	--	--	354	--	354
Dallas	--	3	--	165	--	168	Seattle-Tacoma	--	--	--	286	--	286
Detroit	--	10	--	386	--	396							
Los Angeles	--	--	--	915	--	915	Total U.S.	4	633	1,314	4,942	1,318	5,575

**CHINESE CABBAGE: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1934 through June 1935

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	2	--	30	--	32	Miami	--	5	--	9	--	14
Balt-Wash	--	2	--	16	--	18	New Orleans	--	--	--	5	--	5
Boston	--	8	--	15	--	23	New York-Newark	--	2	--	17	--	19
Buffalo	--	--	--	1	--	1	Philadelphia	--	2	--	11	--	13
Chicago	--	3	--	112	--	115	Pittsburgh	--	--	--	5	--	5
Cincinnati	--	2	--	21	--	23	St. Louis	--	--	--	8	--	8
Columbia, S.C.	--	--	--	--	--	--	San Fran-Oakland	--	--	--	111	--	111
Dallas	--	5	--	41	--	46	Seattle-Tacoma	--	--	--	36	--	36
Detroit	--	4	--	38	--	42							
Los Angeles	--	2	--	329	--	331	Total U.S.	--	37	--	805	--	842

**CORN: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1934 through June 1935

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	274	--	62	--	336	Miami	--	67	--	9	--	76
Balt-Wash	1	262	--	105	1	367	New Orleans	--	20	--	2	--	22
Boston	5	278	--	141	5	419	New York-Newark	47	328	--	66	47	394
Buffalo	--	7	--	1	--	8	Philadelphia	8	319	--	75	3	394
Chicago	--	532	--	149	--	681	Pittsburgh	--	166	--	13	--	179
Cincinnati	--	237	--	34	--	271	St. Louis	--	184	--	35	--	219
Columbia, S.C.	--	51	--	21	--	72	San Fran-Oakland	--	20	--	652	--	672
Dallas	--	151	--	51	--	202	Seattle-Tacoma	--	79	--	136	--	215
Detroit	--	159	--	66	--	225							
Los Angeles	--	155	--	931	--	1,086	Total U.S.	61	3,289	--	2,549	61	5,838

**CUCUMBERS: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

City	1,000 crates received from - -						City	1,000 crates received from - -					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	189	--	129	--	318	Miami	--	85	--	28	--	113
Balt-Wash	--	217	--	239	--	456	New Orleans	--	16	--	26	--	42
Boston	--	295	3	458	3	753	New York-Newark	5	567	--	311	5	878
Buffalo	--	30	--	19	--	49	Philadelphia	--	159	--	149	--	308
Chicago	--	391	--	617	--	1,008	Pittsburgh	--	145	--	165	--	310
Cincinnati	--	114	--	78	--	192	St. Louis	--	104	--	134	--	238
Columbia, S.C.	--	64	--	45	--	109	San Fran-Oakland	--	--	--	352	--	352
Dallas	--	64	--	153	--	217	Seattle-Tacoma	--	--	--	165	--	165
Detroit	--	141	--	396	--	537							
Los Angeles	--	11	--	739	--	750	Total U.S.	5	2,592	3	4,203	8	6,795

**EGGPLANT: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

City	1,000 cartons received from --						City	1,000 cartons received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	30	--	12	--	42	Miami	--	46	--	6	--	52
Balt-Wash	--	70	--	25	--	95	New Orleans	--	12	--	13	--	25
Boston	--	121	--	98	--	219	New York-Newark	--	448	--	165	--	613
Buffalo	--	9	--	5	--	14	Philadelphia	--	80	--	34	--	114
Chicago	--	195	--	232	--	427	Pittsburgh	--	18	--	16	--	34
Cincinnati	--	12	--	12	--	24	St. Louis	--	12	--	5	--	17
Columbia, S.C.	--	9	--	--	--	9	San Fran-Oakland	--	--	--	217	--	217
Dallas	--	13	--	41	--	54	Seattle-Tacoma	--	--	--	54	--	54
Detroit	--	49	--	37	--	86							
Los Angeles	--	2	--	453	--	455	Total U.S.	--	1,126	--	1,425	--	2,551

**ESCAROLE: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

City	1,000 crates received from - -						City	1,000 crates received from - -					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	1	--	13	--	14	Miami	--	5	--	15	--	20
Balt-Wash	--	14	--	5	--	19	New Orleans	--	--	--	--	--	--
Boston	--	29	--	12	--	41	New York-Newark	--	128	--	72	--	200
Buffalo	--	4	--	6	--	10	Philadelphia	--	29	--	15	--	44
Chicago	--	74	--	152	--	226	Pittsburgh	--	18	--	10	--	28
Cincinnati	--	1	--	9	--	10	St. Louis	--	--	--	3	--	3
Columbia, S.C.	--	--	--	--	--	--	San Fran-Oakland	--	--	--	9	--	9
Dallas	--	--	--	5	--	5	Seattle-Tacoma	--	--	--	6	--	6
Detroit	--	13	--	17	--	30							
Los Angeles	--	--	--	36	--	36	Total U.S.	--	316	--	385	--	701

**GREENS: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

City	1,000 bushels received from --						City	1,000 bushels received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	10	--	480	--	470	Miami	--	6	--	53	--	59
Balt-Wash	--	1	--	403	--	404	New Orleans	--	--	--	32	--	32
Boston	--	2	2	296	2	298	New York-Newark	--	63	--	691	--	754
Buffalo	--	--	--	36	--	36	Philadelphia	--	2	--	276	--	278
Chicago	--	5	--	664	--	669	Pittsburgh	--	--	--	75	--	75
Cincinnati	--	--	--	351	--	351	St. Louis	--	--	--	128	--	128
Columbia, S.C.	--	--	--	61	--	61	San Fran-Oakland	--	--	--	234	--	234
Dallas	--	5	--	336	--	341	Seattle-Tacoma	--	--	--	106	--	106
Detroit	--	2	--	344	--	346							
Los Angeles	--	--	--	498	--	498	Total U.S.	--	96	2	5,044	2	5,140

**LETTUCE--ICEBERG: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1994 through June 1995

City	1,000 cartons received from --						City	1,000 cartons received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	12	--	1,565	--	1,577	Miami	--	45	--	388	--	433
Balt-Wash	--	4	112	1,233	112	1,237	New Orleans	--	--	--	207	--	207
Boston	--	--	563	2,039	563	2,039	New York-Newark	--	--	902	1,085	902	1,085
Buffalo	--	--	14	252	14	252	Philadelphia	--	3	460	1,020	460	1,023
Chicago	--	2	1,001	2,296	1,001	2,298	Pittsburgh	--	--	24	851	24	851
Cincinnati	--	1	--	1,054	--	1,055	St. Louis	--	--	--	745	--	745
Columbia, S.C.	--	1	--	191	--	192	San Fran-Oakland	--	--	--	964	--	964
Dallas	--	--	--	434	--	434	Seattle-Tacoma	--	--	--	620	--	620
Detroit	--	--	--	1,309	--	1,309							
Los Angeles	--	--	--	2,539	--	2,539	Total U.S.	--	68	3,081	18,792	3,081	18,860

**LETTUCE--ROMAINE: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1954 through June 1955

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	5	--	537	--	542	Miami	--	10	--	290	--	300
Balt-Wash	--	2	5	583	5	585	New Orleans	--	--	--	67	--	67
Boston	--	--	166	929	166	928	New York-Newark	--	9	269	879	269	888
Buffalo	--	--	--	52	--	52	Philadelphia	--	19	123	591	123	610
Chicago	--	1	321	703	321	709	Pittsburgh	--	1	--	132	--	131
Cincinnati	--	1	--	271	--	272	St. Louis	--	--	--	181	--	--
Columbia, S.C.	--	1	--	25	--	26	San Fran-Oakland	--	--	--	776	--	776
Dallas	--	1	--	227	--	228	Seattle-Tacoma	--	--	--	508	--	508
Detroit	--	--	--	577	--	577							
Los Angeles	--	--	--	971	--	971	Total U.S.	--	50	834	8,303	834	8,353

**LETTUCE--OTHER: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1954 through June 1955

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	8	--	205	--	213	Miami	--	13	--	181	--	194
Balt-Wash	--	7	3	307	3	314	New Orleans	--	--	--	27	--	27
Boston	--	--	11	465	11	465	New York-Newark	--	11	--	676	--	687
Buffalo	--	--	--	28	--	28	Philadelphia	--	7	2	223	2	230
Chicago	--	4	--	623	--	632	Pittsburgh	--	3	--	157	--	160
Cincinnati	--	4	--	230	--	234	St. Louis	--	--	--	115	--	115
Columbia, S.C.	--	1	--	16	--	17	San Fran-Oakland	--	--	--	691	--	691
Dallas	--	--	--	144	--	144	Seattle-Tacoma	--	--	--	359	--	359
Detroit	--	2	--	321	--	323							
Los Angeles	--	--	--	792	--	792	Total U.S.	--	60	16	5,565	16	5,625

**OKRA: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1954 through June 1955

City	1,000 bushels received from - -						City	1,000 bushels received from - -					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	30	--	7	--	37	Miami	--	9	--	5	--	14
Balt-Wash	--	4	--	2	--	6	New Orleans	--	--	--	6	--	6
Boston	--	5	--	3	--	8	New York-Newark	--	17	--	51	--	68
Buffalo	--	--	--	--	--	--	Philadelphia	--	5	--	--	--	5
Chicago	--	13	--	33	--	51	Pittsburgh	--	--	--	--	--	--
Cincinnati	--	1	--	--	--	1	St. Louis	--	--	--	--	--	--
Columbia, S.C.	--	7	--	1	--	8	San Fran-Oakland	--	--	--	12	--	12
Dallas	--	1	--	31	--	32	Seattle-Tacoma	--	--	--	--	--	--
Detroit	--	1	--	11	--	12							
Los Angeles	--	--	--	33	--	33	Total U.S.	--	98	--	195	--	293

**PEPPERS--BELL: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1994 through June 1995

City	1,000 bushels received from --						City	1,000 bushels received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	448	--	262	--	710	Miami	--	207	--	59	--	266
Balt-Wash	--	471	--	297	--	768	New Orleans	--	49	--	79	--	128
Boston	--	1,184	42	522	42	1,706	New York-Newark	10	1,309	2	614	12	1,923
Buffalo	--	57	--	28	--	85	Philadelphia	--	488	1	307	1	795
Chicago	--	830	19	922	19	1,752	Pittsburgh	--	232	--	233	--	465
Cincinnati	--	282	--	232	--	514	St. Louis	--	166	--	140	--	306
Columbia, S.C.	--	90	--	24	--	114	San Fran-Oakland	--	34	10	812	10	846
Dallas	--	118	--	293	--	411	Seattle-Tacoma	--	10	--	360	--	370
Detroit	--	196	--	562	--	758							
Los Angeles	--	48	10	1,318	10	1,366	Total U.S.	10	6,219	84	7,064	94	13,283

**PEPPERS--OTHER: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1964 through June 1965

City	1,000 bushels received from --						City	1,000 bushels received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	24	--	30	--	54	Miami	--	20	--	10	--	30
Balt-Wash	--	24	1	31	1	55	New Orleans	--	--	--	6	--	6
Boston	--	71	4	39	4	110	New York-Newark	--	245	--	69	--	314
Buffalo	--	4	--	1	--	5	Philadelphia	--	37	--	15	--	52
Chicago	--	165	--	638	--	803	Pittsburgh	--	21	--	16	--	37
Cincinnati	--	16	--	28	--	44	St. Louis	--	8	--	3	--	11
Columbia, S.C.	--	7	--	1	--	8	San Fran-Oakland	--	--	--	228	--	228
Dallas	--	21	--	117	--	138	Seattle-Tacoma	--	--	--	68	--	68
Detroit	--	52	--	15	--	67							
Los Angeles	--	2	--	857	--	859	Total U.S.	--	717	5	2,172	5	2,889

**POTATOES: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

City	1,000 cwt received from --						City	1,000 cwt received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	108	284	969	284	1,077	Miami	--	62	564	431	564	493
Balt-Wash	6	93	241	808	247	901	New Orleans	--	3	195	151	195	154
Boston	18	69	874	1,627	892	1,696	New York-Newark	43	33	2,361	1,308	2,404	1,341
Buffalo	--	--	28	191	28	191	Philadelphia	19	91	625	826	644	917
Chicago	3	29	3,386	1,757	3,389	1,786	Pittsburgh	--	83	301	1,759	301	1,842
Cincinnati	--	15	394	655	394	670	St. Louis	--	20	584	1,071	584	1,091
Columbia, S.C.	--	30	66	130	66	160	San Fran-Oakland	--	20	--	1,468	--	1,488
Dallas	--	6	108	1,740	108	1,746	Seattle-Tacoma	--	16	--	946	--	962
Detroit	--	66	396	1,059	396	1,125							
Los Angeles	--	28	79	3,871	79	3,899	Total U.S.	89	772	10,486	20,767	10,575	21,539

**POTATOES--CHIPPER: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

City	1,000 cwt received from --						City	1,000 cwt received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	101	--	203	--	304	Miami	--	--	--	--	--	--
Balt-Wash	2	--	--	--	2	--	New Orleans	--	--	--	--	--	--
Boston	3	3	--	32	3	35	New York-Newark	29	--	--	--	29	--
Buffalo	--	--	--	--	--	--	Philadelphia	4	--	--	--	4	--
Chicago	--	--	--	--	--	--	Pittsburgh	--	--	--	--	--	--
Cincinnati	--	33	--	91	--	124	St. Louis	--	--	--	--	--	--
Columbia, S.C.	--	--	--	--	--	--	San Fran-Oakland	--	--	--	303	--	303
Dallas	--	--	--	568	--	568	Seattle-Tacoma	--	--	--	85	--	85
Detroit	--	105	--	384	--	489							
Los Angeles	--	--	--	--	--	--	Total U.S.	38	242	--	1,666	38	1,908

**RADISHES: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1954 through June 1955

City	1,000 cartons received from --						City	1,000 cartons received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	55	--	71	--	126	Miami	--	29	--	13	--	42
Balt-Wash	--	88	--	94	--	182	New Orleans	--	9	--	5	--	14
Boston	--	57	--	148	--	205	New York-Newark	--	181	--	92	--	273
Buffalo	--	3	--	13	--	26	Philadelphia	--	74	--	62	--	136
Chicago	--	675	--	1,125	--	1,800	Pittsburgh	--	64	--	72	--	136
Cincinnati	--	81	--	124	--	205	St. Louis	--	36	--	16	--	52
Columbia, S.C.	--	15	--	4	--	19	San Fran-Oakland	--	14	--	813	--	827
Dallas	--	45	--	110	--	155	Seattle-Tacoma	--	--	--	350	--	350
Detroit	--	39	--	307	--	346							
Los Angeles	--	4	--	860	--	864	Total U.S.	--	1,474	--	4,284	--	5,758

**SPINACH: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1934 through June 1935													
City	1,000 bushels received from --						City	1,000 bushels received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	--	--	149	--	149	Miami	--	--	--	39	--	39
Balt-Wash	--	2	--	85	--	87	New Orleans	--	--	--	7	--	7
Boston	--	--	--	165	--	165	New York-Newark	--	3	--	325	--	328
Buffalo	--	--	--	97	--	97	Philadelphia	--	1	--	47	--	48
Chicago	--	--	--	469	--	469	Pittsburgh	--	--	--	36	--	36
Cincinnati	--	--	--	86	--	86	St. Louis	--	--	--	54	--	54
Columbia, S.C.	--	--	--	9	--	9	San Fran-Oakland	--	--	--	296	--	296
Dallas	--	--	--	78	--	78	Seattle-Tacoma	--	--	--	126	--	126
Detroit	--	--	--	177	--	177							
Los Angeles	--	--	--	387	--	387	Total U.S.	--	6	--	2,632	--	2,638

**SQUASH: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1954 through June 1955													
City	1,000 bushels received from --						City	1,000 bushels received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	166	--	122	--	288	Miami	--	58	--	22	--	80
Balt-Wash	--	155	--	197	--	352	New Orleans	--	18	--	28	--	46
Boston	--	273	--	573	--	846	New York-Newark	--	617	--	304	--	921
Buffalo	--	15	--	11	--	26	Philadelphia	--	93	--	89	--	182
Chicago	--	297	--	627	--	924	Pittsburgh	--	23	--	53	--	76
Cincinnati	--	73	--	85	--	158	St. Louis	--	38	--	52	--	90
Columbia, S.C.	--	49	--	37	--	86	San Fran-Oakland	--	--	--	768	--	768
Dallas	--	76	--	220	--	296	Seattle-Tacoma	--	--	--	292	--	292
Detroit	--	45	--	202	--	247							
Los Angeles	--	1	--	1,227	--	1,228	Total U.S.	--	1,997	--	4,909	--	6,906

**STRAWBERRIES: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1954 through June 1955

City	1,000 flats received from - -						City	1,000 flats received from - -					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	297	--	680	--	977	Miami	--	74	--	96	--	170
Balt-Wash	--	208	7	932	7	1,140	New Orleans	--	36	--	29	--	65
Boston	--	121	34	911	34	1,032	New York-Newark	--	333	--	1,049	--	1,382
Buffalo	--	10	--	30	--	40	Philadelphia	--	546	6	1,386	6	1,932
Chicago	3	373	12	1,744	15	2,117	Pittsburgh	--	119	--	480	--	599
Cincinnati	--	123	--	933	--	1,056	St. Louis	--	63	--	641	--	704
Columbia, S.C.	--	35	--	24	--	59	San Fran-Oakland	2	14	3	1,177	5	1,191
Dallas	--	60	--	427	--	487	Seattle-Tacoma	--	--	--	906	--	906
Detroit	--	165	1	1,021	1	1,186							
Los Angeles	3	--	21	2,137	24	2,137	Total U.S.	8	2,577	84	14,603	92	17,180

**TOMATOES: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1994 through June 1995													
City	1,000 cartons received from --						City	1,000 cartons received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	2,070	--	814	--	2,884	Miami	--	817	--	64	--	881
Balt-Wash	--	1,495	8	623	8	2,118	New Orleans	--	218	--	116	--	334
Boston	12	2,682	159	760	171	3,442	New York-Newark	382	2,536	246	1,077	628	3,613
Buffalo	--	180	--	100	--	280	Philadelphia	34	2,310	116	1,169	150	3,479
Chicago	134	1,933	258	1,775	392	3,708	Pittsburgh	--	601	--	263	--	864
Cincinnati	--	1,226	--	704	--	1,930	St. Louis	--	376	--	324	--	700
Columbia, S.C.	--	1,096	--	205	--	1,301	San Fran-Oakland	--	203	15	2,383	15	2,586
Dallas	--	948	3	2,024	3	2,972	Seattle-Tacoma	--	247	--	837	--	1,084
Detroit	--	1,847	--	1,172	--	3,019							
Los Angeles	33	1,364	7	6,690	40	8,054	Total U.S.	595	22,149	812	21,100	1,407	43,249

**TOMATOES-CHERRY: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1954 through June 1955

City	1,000 cartons received from --						City	1,000 cartons received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	138	--	59	--	197	Miami	--	43	--	2	--	45
Balt-Wash	--	101	--	71	--	172	New Orleans	--	5	--	10	--	15
Boston	--	86	1	313	1	399	New York-Newark	--	157	--	85	--	242
Buffalo	--	7	--	18	--	25	Philadelphia	--	52	--	318	--	370
Chicago	--	368	--	570	--	938	Pittsburgh	--	35	--	30	--	65
Cincinnati	--	93	--	108	--	201	St. Louis	--	30	--	38	--	68
Columbia, S.C.	--	39	--	5	--	44	San Fran-Oakland	--	--	--	212	--	212
Dallas	--	43	--	162	--	205	Seattle-Tacoma	--	--	--	118	--	118
Detroit	--	42	--	234	--	276							
Los Angeles	--	1	--	452	--	453	Total U.S.	--	1,240	1	2,805	1	4,045

**PEAS (OTHER THAN GREEN): Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1994 through June 1995

City	1,000 bushels received from - -						City	1,000 bushels received from - -					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	3	--	4	--	7	Miami	--	--	--	--	--	--
Balt-Wash	--	--	--	--	--	--	New Orleans	--	--	--	--	--	--
Boston	--	--	--	--	--	--	New York-Newark	--	--	--	--	--	--
Buffalo	--	--	--	--	--	--	Philadelphia	--	--	--	--	--	--
Chicago	--	--	--	--	--	--	Pittsburgh	--	--	--	--	--	--
Cincinnati	--	--	--	--	--	--	St. Louis	--	--	--	--	--	--
Columbia, S.C.	--	1	--	3	--	4	San Fran-Oakland	--	--	--	--	--	--
Dallas	--	1	--	17	--	18	Seattle-Tacoma	--	--	--	--	--	--
Detroit	--	--	--	--	--	--							
Los Angeles	--	--	--	--	--	--	Total U.S.	--	5	--	24	--	29

**WATERMELONS: Rail and truck arrivals from Florida and other  
States, October 1994 through June 1995**

States, October 1994 through June 1995

City	1,000 cwt received from --						City	1,000 cwt received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	175	--	76	--	251	Miami	--	41	--	58	--	99
Balt-Wash	7	193	--	109	7	302	New Orleans	--	1	--	18	--	19
Boston	4	191	--	233	4	424	New York-Newark	64	157	7	345	71	502
Buffalo	--	2	--	17	--	19	Philadelphia	6	123	--	100	6	223
Chicago	--	133	1	330	1	463	Pittsburgh	--	128	--	53	--	181
Cincinnati	--	58	--	58	--	116	St. Louis	--	54	--	53	--	107
Columbia, S.C.	--	214	--	74	--	288	San Fran-Oakland	--	--	--	307	--	307
Dallas	--	2	--	275	--	277	Seattle-Tacoma	--	--	--	171	--	171
Detroit	--	34	--	163	--	197							
Los Angeles	--	--	--	785	--	785	Total U.S.	81	1,506	8	3,225	89	4,731

## CONFIDENTIALITY OF COLLECTED DATA

All information collected from individual agricultural producers is held strictly confidential. Data provided by individual producers or other agricultural firms are used only to compile and publish statistics at the county, State, and national levels. Statistics at the county and State level are not published if they will potentially disclose information about an individual or operation. In addition, all names and addresses obtained by this office are held confidential.

## RELEASE DISTRIBUTION POLICY

Florida Agricultural Statistics Service (FASS) publications are provided free of charge to all Florida agricultural producers and other respondents to FASS surveys. Also entitled to free FASS publications are news media that use agricultural statistics in their publications, cooperating State agencies, and other USDA agencies that have an essential need for this information. Publications picked up at the FASS office will be provided at no charge.

Other persons or entities will be assessed a nominal charge to receive individual publications or to be placed on distribution list for future FASS publications.

**BUREAU OF STATE FARMERS' MARKETS**

Don Coker, Chief  
541 East Tennessee Street  
Tallahassee, Florida 32308  
904/487-4322  
FAX: 904/488-9006

**ARCADIA**

Phil Turner  
1999 N.E. Livingston St.  
Arcadia, FL 33821  
813/494-3737

**BONIFAY**

Wendell Moore, Sr. Market Manager  
Connie Johnson, Secretary  
P.O. Box 716, Hwy 90  
Bonifay, FL 32425  
904/547-2540 FAX: 547-3181

**FLORIDA CITY**

Paul Cardwell, Sr. Market Manager  
Patricia Bouchard, Secretary Specialist  
300 N. Krome Avenue  
Florida City, FL 33034  
305/246-6335 FAX: 246-7012

**FORT MYERS**

Clad Brockett, Sr. Market Manager  
Dee James, Secretary Specialist  
P.O. Box 187, 2744 Edison Ave.  
Ft. Myers, FL 33916  
941/332-6910 FAX: 332-6995

**FORT PIERCE**

Pete Serra, Sr. Market Manager  
Rina R. Uruena, Senior Clerk  
P.O. Box 866, 3479 South Federal Hwy.  
Ft. Pierce, FL 34982  
407/468-3917 FAX: 468-4002

**GADSDEN**

Jim Warner, Regional Supervisor  
Rt. 4 Box 1228-F  
Quincy, FL 32351  
904/627-6484 FAX: 875-2662

**IMMOKALEE**

Jerry Hubbard, Sr. Market Manager  
Louise King, Senior Clerk  
424 New Market Road  
Immokalee, FL 33934  
941/657-3112 FAX: 657-5851

**PALATKA**

Terry Driggers, Sr. Market Manager  
Thelma Hutcherson, Secretary  
225 Highway 17 South  
East Palatka, FL 32131  
904/329-3713 FAX: 329-3771

**PLANT CITY**

Tom Martino, Sr. Market Manager  
Cindy Suszko, Senior Clerk  
P.O. Box 637, 1305 W. Haines Street  
Plant City, FL 33564-0637  
813/757-9027 FAX: 757-9030

**POMPANO**

Cecilia Frau, Sr. Market Manager  
Dale Fargo, Secretary Specialist  
1255 Atlantic Blvd.  
Pompano Beach, FL 33069  
305/946-6570 FAX: 783-8414

**SANFORD**

Sid Blanton, Sr. Market Manager  
Elsie O'Neil, Secretary Specialist  
1300 - 1A S. French Avenue  
Sanford, FL 32771  
407/330-6783 FAX: 330-6786

**STARKE**

Bob Allen, Sr. Market Manager  
Lisa Carter, OPS Secretary  
2222 North Temple Hwy  
Starke, FL 32091  
904/964-6951 FAX: 964-7825

**SUWANNEE VALLEY-WHITE SPRINGS**

Wesley Cox, Market Manager  
Edye Buchanan, Senior Clerk  
Rt. 1 Box 3135, SR 136  
White Springs, FL 32096  
904/963-5903 FAX: 963-3391


**TRENTON**

Bob Allen, Sr. Market Manager  
P.O. Box 157  
Trenton, FL 32693  
904/463-3142

**WAUCHULA**


Diana Durrance, Sr. Market Manager  
Sandra Carlton, Secretary Specialist  
625-A S. 6th Ave.  
Wauchula, FL 33873  
941/773-9850 FAX: 773-3802

## Major Florida Vegetables Shares of Total Production Value, 1994-95 Season




Weekly shipments of selected vegetables, 1994-95 and  
5-year (1989-90 through 1993-94) average.


### SNAP BEANS




### CABBAGE



### CARROTS




### SWEET CORN




SOURCE: Market News Section, Florida Department of Agriculture

Weekly shipments of selected vegetables, 1994-95 and  
5-year (1989-90 through 1993-94) average.


### ALL PEPPERS




### POTATOES



### RADISHES




### SQUASH




SOURCE: Market News Section, Florida Department of Agriculture

Weekly shipments of selected vegetables, 1994-95 and  
5-year (1989-90 through 1993-94) average.


### STRAWBERRIES




### TOMATOES



### CHERRY TOMATOES



### WATERMELONS



SOURCE: Market News Section, Florida Department of Agriculture